

2021



Seewald
Transportgeräte






**The best way
to move your
products**





Seewald Transportgeraete GmbH	4
General product information	5
Laundry container	6
Laundry trolley	23
Roll container	31
Nestable roll container	39
Ball trolley	45
Accessories	48
Wheels & castors	59



Seewald Transportgeraete GmbH

Our family business Seewald Transportgeraete GmbH was founded in 2014 and is based in the marvelous Peissenberg, Bavaria. Our focus is on laundry and roll containers, but we are going one step further.

We complement our portfolio not only with different accessories, but also with extensions for a wide variety of applications. We do not stop with our high-quality products and additionally offer you individual and comprehensive advice. In addition, we are happy to produce special solutions for you according to your wishes and with our technical know-how. We are already passing on this knowledge to the 2nd generation.

Our goal is to be a competent partner for your company in order to offer you the best transport options and to make your work easier. That is why we are constantly improving our products. Your needs are what drives us. We look forward to work with you in the future.



General product information

Our products are designed to offer the best cost-effectiveness. It is no problem, if the basic equipment does not suit your needs. All of our laundry and roll containers can be adapted and aligned to the given task area. If none of our standard containers are suitable for you, please contact us directly. We are happy to construct a custom-made product that is tailored to your needs. In addition, we offer you the option of individually embossing your new containers and labeling it with your company name, so that you immediately can see who the container belongs to. Just talk to us, together we will find the best solution. With us you move the progress in your company.

Our article names should make it easy for you to find the right product. We have developed a "code" for this purpose, which we would like to explain briefly. In general, we talk about plastic, steel or wooden bottoms for laundry and roll containers. We use combinations of numbers and sizes to make it easier to distinguish the containers. Special features are in brackets ().

Product name

Premium						Steel Bottom					
Name of the container						Version of the bottom					
						Amount of intermediate shelves					
Variant of the base plate						3-sided					
						Size of height					

Article number

W	P	S	3	6	0	0	7	4	0	1	1	5	0	B	0	0	0	0	0
Laundry container	Premium	Steel	3-sided	Width		Depth			Height					Blue galvanized	Standard version				

B o n n 4. 2				Steel Bottom				
Name of the container				4-sided	Version of the bottom			
				Amount of intermediate shelves				

W	S	4	940	560	1760	B	2Z	000
Laundry container	Steel	4-sided	Width	Depth	Height	Blue galvanized	Amount of intermediate shelves	Standard castors



Seewald
Transportgeräte

Laundry container





Basic I



The **Basic I** is available as a 3- or 4-sided version. The basic model, which exists in two different heights, offers the most important basic functions for your company. The small base plate allows an excellent navigation even in narrow aisles and is also available with a steel or plastic bottom. Of course the laundry container can be expanded with matching accessories.

Features:

- 3- or 4-sided Basic I laundry container
- available in the heights 1520 and 1730 mm
- 2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing
- foldable & swivel-mounted door (4-sided)
- wooden bottom



Also available with a steel or plastic bottom, as well as further accessories and castor sets.

Article	Basic I M 3.0 Wooden Bottom	Basic I L 3.0 Wooden Bottom	Basic I M 4.0 Wooden Bottom	Basic I L 4.0 Wooden Bottom
Article number	WBH36007201520 B00000	WBH36007201730 B00000	WBH46007201520 B00000	WBH46007201730 B00000
Composition	3-sided		4-sided	
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	600 x 720 x 1520	600 x 720 x 1730	600 x 720 x 1520	600 x 720 x 1730
Internal dimensions, W x D x H mm	555 x 675 x 1370	555 x 675 x 1580	555 x 675 x 1370	555 x 675 x 1580
Payload	400 kg			
Weight	26,5 kg	29 kg	31 kg	34 kg
Mesh	round bar 4 x vertical Ø 6 mm / 2 x horizontal Ø 7,8 mm			
Shelves	optionally available			
Wheels	2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing			
Surface	blue galvanized			



Basic II



The **Basic II** is available in two different heights and offers the basic functions for your company. In comparison to the Basic I, the larger base plate of the Basic II expands the storage space without sacrificing comfort. The standard steel bottom can optionally be covered with a wooden or plastic plate. Expand the Basic II laundry container. Examples of our large range of accessories are intermediate shelves or a clothes rail.

Features:

- 3- or 4-sided Basic II laundry container
- available in the heights 1520 and 1650 mm
- 2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing
- foldable & swivel-mounted door (4-sided)
- steel bottom



Also available with a plastic or wooden bottom, as well as further accessories and castor sets.

Article	Basic II M 3.0 Steel Bottom	Basic II L 3.0 Steel Bottom	Basic II M 4.0 Steel Bottom	Basic II L 4.0 Steel Bottom
Article number	WBS37208101520 B00000	WBS37208101650 B00000	WBS47208101520 B00000	WBS47208101650 B00000
Composition	3-sided		4-sided	
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	720 x 810 x 1520	720 x 810 x 1650	720 x 810 x 1520	720 x 810 x 1650
Internal dimensions, W x D x H mm	675 x 765 x 1370	675 x 765 x 1500	675 x 765 x 1370	675 x 765 x 1500
Payload	400 kg			
Weight	27 kg	27,5 kg	32 kg	33 kg
Mesh	round bar 4 x vertical Ø 6 mm / 2 x horizontal Ø 7,8 mm			
Shelves	optionally available			
Wheels	2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing			
Surface	blue galvanized			



Premium I 3.0



The 3-sided **Premium I** is available in three different heights and is equipped with smooth-running brand castors. Despite the smaller base plate, the laundry container has a very stable construction, which shows the high quality. The very good properties in the areas of comfort, handling and operation makes your daily work noticeably easier.

Features:

- 3-sided Premium I laundry container
- available in the heights 1150, 1350 and 1520 mm
- 2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing
- steel bottom
- color: blue galvanized



Also available with a plastic or wooden bottom, as well as further accessories and castor sets.

Article	Premium I S 3.0 Steel Bottom	Premium I M 3.0 Steel Bottom	Premium I L 3.0 Steel Bottom
Article number	WPS36007401150B00000	WPS36007401350B00000	WPS36007401520B00000
Composition	3-sided		
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	600 x 740 x 1150	600 x 740 x 1350	600 x 740 x 1520
Internal dimensions, W x D x H mm	555 x 695 x 1000	555 x 695 x 1200	555 x 695 x 1370
Payload	400 kg		
Weight	21 kg	22 kg	24 kg
Mesh	round bar 4/6 x vertical Ø 6 mm / 2 x horizontal Ø 7,8 mm		round bar 4/6 x vertical Ø 6 mm / 3 x horizontal Ø 7,8 mm
Shelves	optionally available		
Wheels	2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing		
Surface	blue galvanized		



Premium I 4.0



Our 4-sided version of the **Premium I** has the same advantages as the 3-sided version with the addition of a swivel-mounted front wall. In addition, the upper part of the front wall can be folded down to simplify loading and accessing the container. To be expanded for example, the Premium I can be equipped with document frames and many more.

Features:

- same as Premium I 3.0 (page 9)
- 4-sided Premium I laundry container
- additionally with a foldable & swivel-mounted door
- expandable with intermediate shelves, document frames, bumper wheels and many more



Also available with a plastic or wooden bottom, as well as further accessories and castor sets.

Article	Premium I S 4.0 Steel Bottom	Premium I M 4.0 Steel Bottom	Premium I L 4.0 Steel Bottom
Article number	WPS46007401150B00000	WPS46007401350B00000	WPS46007401520B00000
Composition	4-sided		
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	600 x 740 x 1150	600 x 740 x 1350	600 x 740 x 1520
Internal dimensions, W x D x H mm	555 x 695 x 1000	555 x 695 x 1200	555 x 695 x 1370
Payload	400 kg		
Weight	25 kg	27 kg	29 kg
Mesh	round bar 4/6 x vertical Ø 6 mm / 2 x horizontal Ø 7,8 mm		round bar 4/6 x vertical Ø 6 mm / 2/3 x horizontal Ø 7,8 mm
Shelves	optionally available		
Wheels	2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing		
Surface	blue galvanized		

Premium II 3.0



Our laundry container Premium II is available in four different heights with our 3-sided version. The smooth-running brand castors under the middle base plate move the solid construction safely through your company. The smaller mesh, compared to the Basic model, increases the stability and quality. On request, the plastic bottom can be exchanged against a steel or wooden bottom.

Features:

- 3-sided Premium II laundry container
- available in the heights 1150, 1350, 1520 and 1700 mm
- 2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing
- plastic bottom
- maximum usable height 1550 mm (size XL)
- color: blue galvanized



Also available with a steel or wooden bottom, as well as further accessories and castor sets.

Article	Premium II S 3.0 Plastic Bottom	Premium II M 3.0 Plastic Bottom	Premium II L 3.0 Plastic Bottom	Premium II XL 3.0 Plastic Bottom
Article number	WPK36008101150 B00000	WPK36008101350 B00000	WPK36008101520 B00000	WPK36008101700 B00000
Composition	3-sided			
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	600 x 810 x 1150	600 x 810 x 1350	600 x 810 x 1520	600 x 810 x 1700
Internal dimensions, W x D x H mm	555 x 765 x 1000	555 x 765 x 1200	555 x 765 x 1370	555 x 765 x 1550
Payload	400 kg			
Weight	22,5 kg	24 kg	25,5 kg	27 kg
Mesh	round bar 4/6 x vertical Ø 6 mm / 2 x horizontal Ø 7,8 mm		round bar 4/6 x vertical Ø 6 mm / 3 x horizontal Ø 7,8 mm	
Shelves	optionally available			
Wheels	2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing			
Surface	blue galvanized			



Premium II 4.0



With our 4-sided version, the front wall comes additionally, which is swivel-mounted and the upper part can be folded down. You are welcome to expand the basic equipment with intermediate shelves or our innovative switching system, which converts the two swivel castors into two fixed castors with just one "click".

Features:

- same as Premium II 3.0 (page 11)
- 4-sided Premium II laundry container
- additionally with a foldable & swivel-mounted door
- expandable with our innovative switching system



Also available with a plastic or wooden bottom, as well as further accessories and castor sets.

Article	Premium II S 4.0 Steel Bottom	Premium II M 4.0 Steel Bottom	Premium II L 4.0 Steel Bottom	Premium II XL 4.0 Steel Bottom
Article number	WPS46008101150 B00000	WPS46008101350 B00000	WPS46008101520 B00000	WPS46008101700 B00000
Composition	4-sided			
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	600 x 810 x 1150	600 x 810 x 1350	600 x 810 x 1520	600 x 810 x 1700
Internal dimensions, W x D x H mm	555 x 765 x 1000	555 x 765 x 1200	555 x 765 x 1370	555 x 765 x 1550
Payload	400 kg			
Weight	26 kg	28 kg	30 kg	32 kg
Mesh	round bar 4/6 x vertical Ø 6 mm / 2 x horizontal Ø 7,8 mm		round bar 4/6 x vertical Ø 6 mm / 2/3 x horizontal Ø 7,8 mm	
Shelves	optionally available			
Wheels	2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing			
Surface	blue galvanized			



Premium III 3.0



The 3-sided laundry container **Premium III** is available in five different heights and features smooth-running brand castors. With a basic dimension of 720 x 810 mm and a maximum height of 1800 mm it has a large capacity. The closed wooden bottom on the large base plate is very robust and therefore suitable for many possible applications. Due to the size and stability the user can do the work easy and safe.

Features:

- 3-sided Premium III laundry container
- available in the heights 1150, 1350, 1520, 1700 and 1800 mm
- 2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing
- up to 400 kg load capacity
- wooden bottom
- color: blue galvanized



Also available with a steel or plastic bottom, as well as further accessories and castor sets.

Article	Premium III S 3.0 Wooden Bottom	Premium III M 3.0 Wooden Bottom	Premium III L 3.0 Wooden Bottom	Premium III XL 3.0 Wooden Bottom	Premium III XXL 3.0 Wooden Bottom
Article number	WPH37208101150 B00000	WPH37208101350 B00000	WPH37208101520 B00000	WPH37208101700 B00000	WPH37208101800 B00000
Composition	3-sided				
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	720 x 810 x 1150	720 x 810 x 1350	720 x 810 x 1520	720 x 810 x 1700	720 x 810 x 1800
Internal dimensions, W x D x H mm	675 x 765 x 1000	675 x 765 x 1200	675 x 765 x 1370	675 x 765 x 1550	675 x 765 x 1650
Payload	400 kg				
Weight	23 kg	25 kg	26 kg	28 kg	28,5 kg
Mesh	round bar 5/6 x vertical Ø 6 mm / 2 x horizontal Ø 7,8 mm		round bar 5/6 x vertical Ø 6 mm / 3 x horizontal Ø 7,8 mm		
Shelves	optionally available				
Wheels	2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing				
Surface	blue galvanized				



Premium III 4.0



Our flagship **Premium III** is also available in 4-sided versions and adds a swivel-mounted front wall, the top of which can be folded down halfway. The advantages of the 3-sided version have also been adopted and enables a comfortable working day. This container can be complemented with accessories, such as our bumper wheels or a cover good that protects the container.

Features:

- same as Premium III 3.0 (page 13)
- 4-sided Premium III laundry container
- additionally with a foldable & swivel-mounted door
- expandable with four bumper wheels and cover hood



Also available with a steel or plastic bottom, as well as further accessories and castor sets.

Article	Premium III S 4.0 Wooden Bottom	Premium III M 4.0 Wooden Bottom	Premium III L 4.0 Wooden Bottom	Premium III XL 4.0 Wooden Bottom	Premium III XXL 4.0 Wooden Bottom
Article number	WPH47208101150 B00000	WPH47208101350 B00000	WPH47208101520 B00000	WPH47208101700 B00000	WPH47208101800 B00000
Composition	4-sided				
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	720 x 810 x 1150	720 x 810 x 1350	720 x 810 x 1520	720 x 810 x 1700	720 x 810 x 1800
Internal dimensions, W x D x H mm	675 x 765 x 1000	675 x 765 x 1200	675 x 765 x 1370	675 x 765 x 1550	675 x 765 x 1650
Payload	400 kg				
Weight	29 kg	31 kg	33 kg	35 kg	36 kg
Mesh	round bar 5/6 x vertical Ø 6 mm / 2 x horizontal Ø 7,8 mm		round bar 5/6 x vertical Ø 6 mm / 2/3 x horizontal Ø 7,8 mm		
Shelves	optionally available				
Wheels	2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing				
Surface	blue galvanized				



Bremen 4.0



Due to its two-part front, the **Bremen** is 4-sided and enables the upper half to be folded. Even when closed, the container can be filled very comfortably due to the shortened front. With a base plate of 850 x 630 mm sufficient capacity is provided. The build-in bumper wheels protect walls as well as other roll containers. Additionally the bumper wheels lead to an increased service life of the laundry bags.

Features:

- 4-sided laundry container
- 2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing
- foldable door
- closed PVC bottom
- color: blue galvanized



Also available with a steel or wooden bottom, as well as further accessories and castor sets.

Article	Bremen 4.0 Plastic Bottom
Article number	WSK48506301750B00000
Composition	4-sided
Overall dimensions, W x D x H mm (Total height with Ø 108 mm castors)	850 x 630 x 1750
Internal dimensions, W x D x H mm	805 x 590 x 1600
Payload	500 kg
Weight	42,8 kg
Mesh	round bar 7/9 x vertical Ø 6 mm / 3/4 x horizontal Ø 7,8 mm
Shelves	not available
Wheels	2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing
Surface	blue galvanized



Bonn 4.2



Our **Bonn** offers a smart 2-in-1 system. Thanks to the foldable intermediate shelves the laundry container can be used both for the transport of dirty and clean laundry and therefore offers an optimal solution for both applications. The lower level is protected by a short front wall. The Bonn adds a useful value due to the supplied clothes rail.

Features:

- 4-sided Bonn laundry container
- 4 bumper wheels
- 2 fixed mounted & foldable intermediate shelves
- fixed mounted, short front wall
- 2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing
- clothes rail



More accessories and castor sets available.

Article	Bonn 4.2 Steel Bottom
Article number	WS49405601740B2Z000
Composition	4-sided
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	940 x 560 x 1740
Internal dimensions, W x D x H mm	900 x 520 x 1590
Payload	400 kg
Weight	45,2 kg
Mesh	round bar 6/8 x vertical Ø 6 mm / 1/4 x horizontal Ø 7,8 mm
Shelves	2 shelves included
Wheels	2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing
Surface	blue galvanized



Bern 3.2



The **Bern** is equipped with two permanently mounted intermediate shelves, which are foldable to the inside. Therefore it is possible to fill the container on all three levels, due to the wide front. By this smart 2-in-1 system transport is given for dirty and also clean laundry. In addition, the four bumper wheels create an ideal protection on walls or other roll containers. Through the additional use of plastic spacer castors the laundry container runs with reduced background noise. You will also receive a label board for a better assignment as well as a tread plate.

Features:

- 3-sided Bern laundry container
- 2 fixed mounted & foldable intermediate shelves
- 2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing
- up to 500 kg load capacity
- 4 bumper wheels
- labeling board
- tread plate
- smart 2-in-1 system



Also available with a steel or wooden bottom, as well as further accessories and castor sets.

Article	Bern 3.2 Plastic Bottom
Article number	WWK38506301750B2Z000
Composition	3-sided
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	850 x 630 x 1750
Internal dimensions, W x D x H mm	805 x 590 x 1600
Payload	500 kg
Weight	40 kg
Mesh	round bar 5/6 x vertical Ø 6 mm / 3/4 x horizontal Ø 7,8 mm
Shelves	2 shelves included
Wheels	2 swivel and 2 fixed castors Ø 100 mm TPR, ball bearing
Surface	blue galvanized



Berlin 3.0




A light and versatile laundry container, that's our 3-sided **Berlin**. The height of 1800 mm is achieved with a Ø 20 mm round tube supported in the structure. This offers stability and plenty of space for the most diverse possible applications. The Berlin is assembled quickly and easy to use. This system is rounded off with non-marking elastic castors. You are also looking for suitable accessories, please contact us. Together we will find the right solution for your company.

Features:

- 3-sided laundry container
- 2 swivel and 2 fixed castors Ø 100 mm elastic (grey), ball bearing
- up to 400 kg load capacity
- easy handling
- usable height: 1650 mm
- color: blue galvanized

Accessories



More accessories and castor sets available.

Article	Berlin 3.0 Steel Bottom
Article number	S3600800CC051
Composition	3-sided
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	600 x 800 x 1800
Internal dimensions, W x D x H mm	560 x 770 x 1600
Payload	400 kg
Weight	25 kg
Mesh	round bar 4 x vertical Ø 6 mm / 3 x horizontal Ø 6 mm
Shelves	not available
Wheels	2 swivel and 2 fixed castors Ø 100 mm elastic (grey), ball bearing
Surface	blue galvanized



Frankfurt L



Our **Frankfurt L** laundry container is with 2- to 4-sides available and has a height of 1660 mm. The swivel-mounted and foldable door allows a comfortable handling and makes work easier (4-sided). In addition, the Frankfurt L container scores with an easy and quick assembly/ disassembly. The matching plastic bottom is made of high quality HDPE material and is 100% recyclable. Additionally a individual color (RAL) and/ or embossing is possible.

Features:

- 2-, 3-, or 4-sided laundry container
- 2 swivel and 2 fixed castors Ø 108 mm, polypropylene
- swivel-mounted & foldable door (4-sided)
- recyclable plastic bottom



Two different door types available.

Article	Frankfurt L 2.0 Plastic Bottom	Frankfurt L 3.0 Plastic Bottom	Frankfurt L 4.0 Plastic Bottom	Frankfurt L 4.0.1 Plastic Bottom
Article number	KB2A50101460CS03101	KB3A50101460CS03101	KB4A50101460CS03101	KB4A50101460CS03301
Composition	2-sided	3-sided	4-sided	
Overall dimensions, W x D x H mm (Total height with Ø 108 mm castors)	724 x 815 x 1660			
Internal dimensions, W x D x H mm	660 x 800 x 1450	660 x 775 x 1450	660 x 750 x 1450	
Payload	500 kg			
Weight	22 kg	28 kg	37 kg	37 kg
Mesh	flat steel bar 4 x vertical Ø 12x3 mm/ 4 x horizontal Ø 12x3 mm			
Shelves	optionally available			
Wheels	2 swivel and 2 fixed castors Ø 108 mm polypropylene			
Surface	blue galvanized			



Frankfurt XL



The higher version, the **Frankfurt XL**, has a height of 1850 mm and comes with the same advantages as its L-version. Also you can choose between a 1- or 2-part front wall. The standard base plate is available in dark blue, but green, grey or red are possible as well. At the same time, the base plate for the Frankfurt laundry container is also available as closed/ smoother bottom version. Please contact us for further variations.

Features:

- same as Frankfurt L (page 19)
- 2 half front walls, individually swivelling & foldable
- maximum usable height: 1640 mm



2-part front wall also available as foldable version.

Article	Frankfurt XL 2.0 Plastic Bottom	Frankfurt XL 3.0 Plastic Bottom	Frankfurt XL 4.0.1 Plastic Bottom	Frankfurt XL 4.0.2 Plastic Bottom
Article number	KB2A50101650CS04101	KB3A50101650CS04101	KB4A50101650CS04301	KB4A50101650CS04201
Composition	2-sided	3-sided	4-sided	
Overall dimensions, W x D x H mm (Total height with Ø 108 mm castors)	724 x 815 x 1850			
Internal dimensions, W x D x H mm	660 x 800 x 1640	660 x 775 x 1640	660 x 750 x 1640	
Payload	500 kg			
Weight	22,5 kg	28,4 kg	37 kg	37,9 kg
Mesh	flat steel bar 4 x vertical Ø 12x3 mm/ 5 x horizontal Ø 12x3 mm			
Shelves	optionally available			
Wheels	2 swivel and 2 fixed castors Ø 108 mm polypropylene			
Surface	blue galvanized			



Dresden 3.3



Our **Dresden** laundry container can easily be equipped with six intermediate shelves. The three shelves included in the scope of delivery have an upstand for load securing. Here you can decide whether you want the version with or without a 20° angle of the horizontal flat iron. The four swivel castors - two of them with brakes - allows good handling even with a full load.

Features:

- 3-sided laundry container
- 2 swivel and 2 swivel castors with brakes Ø 108 mm, polypropylene
- 3 intermediate shelves with upstand (up to 6 possible)
- with or without 20° angle
- recyclable plastic bottom



More accessories and castor sets available.

Article	Dresden 3.3 (20°) Plastic Bottom	Dresden 3.3 Plastic Bottom
Article number	KRR3A50101600C104	KRR3A50101600C204
Composition	3-sided	
Overall dimensions, W x D x H mm (Total height with Ø 108 mm castors)	815 x 724 x 1800	
Internal dimensions, W x D x H mm	750 x 680 x 1600	
Payload	500 kg	
Weight	52,2 kg	
Mesh	flat steel bar 6 x vertical Ø 15x3 mm/ 6 x horizontal Ø 15x3 mm	
Shelves	3 shelves included (with 20° tilt)	3 shelves included (without tilt)
Wheels	2 swivel and 2 swivel castor with total brake Ø 108 mm polypropylene	
Surface	blue galvanized	



Halle XXL 4.0



Our largest laundry container, **Halle XXL**, has a huge amount of space and a load capacity of up to 600 kg. Our container Halle XXL comes with a foldable and swivel-mounted door and can be extended with intermediate shelves which you can easily position to your needs due to the tight mesh of the container.

Features:

- 4-sided laundry container
- 2 swivel and 2 swivel castors with brakes Ø 125 mm elastic (grey), ball bearing
- up to 600 kg load capacity
- foldable & swivel-mounted door
- possible intermediate shelves implementable individually
- stable construction



More accessories and castor sets available.

Article	Halle XXL 4.0 Steel Bottom
Article number	S48001200FC053
Composition	4-sided
Overall dimensions, W x D x H mm (Total height with Ø 125 mm castors)	1200 x 800 x 1820
Internal dimensions, W x D x H mm	1150 x 750 x 1605
Payload	600 kg
Weight	66,3 kg
Mesh	wire infill 50 x 50 mm Ø 4 mm
Shelves	optionally available
Wheels	2 swivel and 2 swivel castor with total brake Ø 125 mm elastic (grey), ball bearing
Surface	blue galvanized



Seewald
Transportgeräte

Laundry trolley




Duisburg I



With the classic **Duisburg I** spring bottom trolley, made of anodized aluminium, you can do your laundry transport optimally. The low weight and the four swivel castors support flexibility when working. The immediate reaction of the spring bottom to a change in weight additionally underlines back-friendly work.

Features:

- constant loading and unloading height
- anodizing protects against abrasion and corrosion
- stable edge profiles on the top and bottom of the trolley
- 4 swivel castors Ø 125 mm



Optimal price-performance ratio.

Article	Duisburg I S D	Duisburg I M D
Article number	FBWAECD1408180D00	FBWAECD1408350D00
Overall dimensions, W x D x H mm (Total height with Ø 125 mm castors)	845 x 540 x 760	1105 x 680 x 855
Internal dimensions, W x D x H mm	740 x 510 x 485	1000 x 650 x 580
Payload	100 kg	
Weight	26 kg	33 kg
Volume	180 liter	380 liter
Spring force	25 kg	
Wheels	4 swivel castors Ø 125 mm, TPR, ball bearing, optional: 2 with total brake	
Configuration of wheels	2 + 2	




Duisburg II



The **Duisburg II** takes over the advantages of the classic Duisburg I and is expanded through further flexibility. The spring force can be adjusted according to your own needs. The smooth side walls reduce the friction of the load and thus favor the immediate reaction of the spring bottom noticeable. Further options such as changing the castors of the chassis are possible additionally.

Features:

- anodized aluminium
- no tilting with one-sided loading
- elastic PVC bumper on the upper edge of the trolley
- stable chassis carrier made of galvanized steel
- 3 different castors arrangements, TPR, ball bearing



*Items inside the products are not included.

Swivel castors with or without brakes possible.

Article	Duisburg II M A	Duisburg II M B	Duisburg II M D
Article number	FBWAEVD1408350A00	FBWAEVD1408350B00	FBWAEVD1408350D00
Overall dimensions, W x D x H mm (Total height with Ø 125 mm castors)	1115 x 690 x 855		
Internal dimensions, W x D x H mm	1000 x 650 x 580		
Payload	130 kg		
Weight	44 kg		42 kg
Volume	380 liter		
Spring force	50 kg	70 kg	25 kg
Wheels	2 swivel and 2 fixed castors Ø 125 mm, diamond-shaped	2 swivel castors with total brake and 2 fixed castors Ø 125 mm	4 swivel castors Ø 125 mm, TPR, ball bearing
Configuration of wheels	1 + 2 + 1	2 + 2	2 + 2





Duisburg III



The **Duisburg III** is the larger spring bottom trolley in this series with a capacity of 615 liters and an external dimension of 1515 x 740 x 905 mm. While the Duisburg III L B is available non-anodized, the Duisburg III L A comes along anodized. The thermoplastic rubber treads allow you to move the trolley around without any trace.

Features:

- non-anodized & anodized aluminium
- easy adjustment of the spring force
- chassis modification possible
- 2 different castors arrangements



Duisburg III L B is not anodized.

Article	Duisburg III L A	Duisburg III L B
Article number	FBWAEVD5408580A00	FBWAVD5408580B00
Overall dimensions, W x D x H mm (Total height with Ø 125 mm castors)	1515 x 740 x 905	1515 x 740 x 835
Internal dimensions, W x D x H mm	1400 x 700 x 620	
Payload	100 kg	
Weight	51 kg	55 kg
Volume	615 liter	
Spring force	50 kg	70 kg
Wheels	2 swivel and 2 fixed castors Ø 125 mm, TPR, ball bearing, diamond-shaped	2 swivel castors with total brake and 2 fixed castors Ø 125 mm, TPR, ball bearing
Configuration of wheels	1 + 2 + 1	2 + 2



Rostock




*Lid optional

With our versatile aluminium transport trolley **Rostock** you use the maximum transport capacity with the least possible own weight. The Rostock simplifies the transport of your goods in the company perfectly and is available in four different sizes. In addition, a matching lid or another castor arrangement can be selected.

Features:

- generally usable
- very solid with low weight
- scratch-resistant surface
- available in 4 volume sizes
- different castor arrangements possible, TPR, ball bearing



Also available with lid.

Article	Rostock S B	Rostock M B	Rostock L B	Rostock XL B
Article number	TWAD3008330B00	TWAD3008415B00	TWAD3008570B00	TWAD3008656B00
Overall dimensions, W x D x H mm (Total height with Ø 100/125 mm castors)	990 x 580 x 770	1030 x 670 x 835	1280 x 680 x 870	1280 x 730 x 935
Internal dimensions, W x D x H mm	960 x 550 x 610	1000 x 640 x 650	1250 x 650 x 685	1250 x 700 x 750
Payload	200 kg	250 kg		
Weight	18,5 kg	22 kg	25 kg	26,5 kg
Volume	322 liter	415 liter	560 liter	656 liter
Lid	optionally available			
Wheels	2 swivel castors with total brake and 2 fixed castors Ø 100 mm	2 swivel castors with total brake and 2 fixed castors Ø 125 mm		
Configuration of wheels	2 + 2			



Chemnitz




*Lid optional

The **Chemnitz** is a very stable transport trolley made of aluminium, which offers one longitudinal wall that can be folded down halfway. While the walls are stiffened by surrounding beads, the upper and lower edge of the trolley will be reinforced by all-round aluminium profiles. Through the combination of stability and flexibility your work will be made easier in general.

Features:

- one longitudinal wall can be folded down halfway
- reinforced walls with trapezoidal beads
- 2 volume sizes available
- castor arrangement: 2 + 2



*Items inside the products are not included.

Cylinder lock optionally available.

Article	Chemnitz M	Chemnitz M (with Lid)	Chemnitz L	Chemnitz L (with Lid)
Article number	TWAD3508360B00	TWAD3508360B01	TWAD35081050B00	TWAD35081050B01
Overall dimensions, W x D x H mm (Total height with Ø 125/160 mm castors)	930 x 530 x 985	960 x 555 x 990	1280 x 730 x 1430	1310 x 755 x 1435
Internal dimensions, W x D x H mm	900 x 500 x 800		1250 x 700 x 1200	
Payload	250 kg		300 kg	
Weight	22,5 kg	25,5 kg	40 kg	46 kg
Volume	355 liter		1050 liter	
Lid	optionally available	included	optionally available	included
Wheels	2 swivel castors with total brake and 2 fixed castors Ø 125 mm, TPR, ball bearing		2 swivel castors with total brake and 2 fixed castors Ø 160 mm, TPR, ball bearing	
Configuration of wheels	2 + 2			

Lubeck




This extremely stable aluminium transport trolley is ideal for easy loading and unloading due to its longitudinal wall, that can be lowered down to the half. Especially with large volume cargo, such as laundry and rubbish bags. At the same time, **Lubeck** helps optimal in tight space conditions. The optional hinged lid is secured with two lever latches.

Features:

- one longitudinal wall can be lowered down to the half
- long wall and front are without beads
- 2 volume sizes available
- castor arrangement: 2 + 2

*Lid optional



Push handle optionally available.

Article	Lubeck M	Lubeck M (with lid)	Lubeck L	Lubeck L (with lid)
Article number	TWAD3708360B00	TWAD3708360B01	TWAD3708650B00	TWAD3708650B01
Overall dimensions, W x D x H mm (Total height with Ø 125/160 mm castors)	930 x 525 x 985	960 x 550 x 990	1280 x 675 x 985	1310 x 700 x 990
Internal dimensions, W x D x H mm	900 x 495 x 800		1250 x 645 x 800	
Payload	250 kg			
Weight	24 kg	27 kg	31 kg	37 kg
Volume	355 liter		650 liter	
Lid	optionally available	included	optionally available	included
Wheels	2 swivel castors with total brake and 2 fixed castors Ø 125 mm, TPR, ball bearing			
Configuration of wheels	2 + 2			

Aachen




The **Aachen** comes with a 250 mm high wall cutout and is therefore ideal for easy loading and unloading, especially with larger goods. The anodized push handles on both side walls simplify handling and movements in your company. Contact us for more options.

Features:

- long wall cut-out of 1130 x 250 mm
- push handles are anodized
- ergonomic work through simple loading and unloading
- castor arrangement: 2 + 2

*Items inside the products are not included.



Push handles enable easy handling.

Article	Aachen
Article number	TWAD3808945B00
Overall dimensions, W x D x H mm (Total height with Ø 200 mm castors)	1680 x 930 x 970
Internal dimensions, W x D x H mm	1500 x 900 x 700
Payload	300 kg
Weight	44 kg
Volume	945 liter
Lid	not available
Wheels	2 swivel castors with total brake and 2 fixed castors Ø 200 mm, TPR, ball bearing
Configuration of wheels	2 + 2




Seewald
Transportgeräte

Roll container





Leipzig



Our roll container **Leipzig** was specially designed for the transport of standard boxes 600 x 400 mm. Thanks to the close mesh the intermediate shelves can be used flexible. Therefore the container offers a high flexibility. The intermediate shelves are available with and without upstand and ensure the first load securing.

Features:

- 3-, 4- or 5-sided roll container
- 2 swivel castors and 2 swivel castors with brakes
Ø 100 mm, ball bearing, TPR tread
- up to 300 kg load capacity
- swivel-mounted door (4-5-sided)
- optional intermediate shelves with / without upstand
individually applicable
- stable construction



Available from 3 to 5 sides, intermediate shelves with/ without upstand.

Article	Leipzig 3.0 Steel Bottom	Leipzig 4.0 Steel Bottom	Leipzig 5.0 Steel Bottom
Article number	S3460640FC057	S4460640FC057	S5460640FC057
Composition	3-sided	4-sided	5-sided
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	500 x 680 x 1855	500 x 705 x 1855	500 x 705 x 1862
Internal dimensions, W x D x H mm	418 x 620 x 1645		418 x 620 x 1620
Payload	300 kg		
Weight	34,9 kg	36 kg	39,75 kg
Mesh	wire infill 50 x 50 mm Ø 4 mm		
Shelves	optionally available, also with / without upstand		
Wheels	2 swivel and 2 swivel castors with total brake Ø 100 mm, rim of polypropylene, ball bearing, TPR tread		
Surface	blue galvanized		



Munich



Our **Munich** roll container is available in two versions, 2-sided with stability bar or 3-sided with back wall. Smooth running features, intermediate shelves with an upstand of 20 mm or 100 mm for the first load securing and the stable design distinguish the roll container. Fit the roll container to your needs, we offer you the right accessories.

Features:

- 2- or 3-sided roll container
- 2 swivel castors and 2 swivel castors with brakes
Ø 100 mm elastic (grey), ball bearing
- intermediate shelves with 100 mm upstand
(20 mm also possible)
- steel bottom 600 x 600 mm



Intermediate shelves available with 20 or 100 mm upstand.

Article	Munich 2.4 Steel Bottom	Munich 3.4 Steel Bottom
Article number	S2600600FC4Z158	S3600600FC4Z158
Composition	2-sided	3-sided
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	600 x 600 x 1670	600 x 600 x 1650
Internal dimensions, W x D x H mm	560 x 600 x 1465	560 x 580 x 1465
Payload	500 kg	
Weight	38 kg	48 kg
Mesh	wire infill 50 x 100 mm Ø 4 mm	
Shelves	4 shelves with 100 mm upstand included	
Wheels	2 swivel and 2 swivel castors with total brake Ø 100 mm elastic (grey), ball bearing	
Surface	blue galvanized	



Cologne 3.0



Our **Cologne** roll container was specially designed for the transport of plastic boxes in the dimensions 600 x 400 and 600 x 800 mm and is available in two different heights. With the help of our optionally available intermediate shelves you can add additional levels and organize your goods optimally. We offer you other accessories, such as textile straps for load securing.

Features:

- 3-sided roll container
- 2 swivel and 2 fixed castors Ø 108 mm, polypropylene
- recyclable plastic bottom made of high quality HDPE material in 682 x 815 mm
- up to 4 intermediate shelves possible (Cologne L 3.0)
- up to 5 intermediate shelves possible (Cologne XL 3.0)
- color: blue galvanized



*Items inside the products are not included.

Optional intermediate shelves and more accessories available.

Article	Cologne L 3.0 Plastic Bottom	Cologne XL 3.0 Plastic Bottom
Article number	KB3B50101460CS03101	KB3B50101650CS04101
Composition	3-sided	
Overall dimensions, W x D x H mm (Total height with Ø 108 mm castors)	682 x 815 x 1660	682 x 815 x 1850
Internal dimensions, W x D x H mm	640 x 800 x 1450	640 x 775 x 1640
Payload	500 kg	
Weight	28 kg	29,5 kg
Mesh	flat steel bar 12 x 3 mm	
Shelves	optionally available	
Wheels	2 swivel and 2 fixed castors Ø 108 mm polypropylene	
Surface	blue galvanized	



Kiel



Our anti-theft container **Kiel** is designed for the safe transport of Euronorm boxes. The tight wire infill and the lockable door (lock not included) offer direct protection against unauthorized access and secure your goods reliably. At the same time you can add intermediate shelves every 50 mm. With additional accessories or another castor set you can customize the roll container to your needs.

Features:

- 3-, 4- or 5-sided wire mesh container
- 2 swivel and 2 fixed castors Ø 108 mm, polypropylene
- swivel-mounted and lockable door (4- and 5-sided)
- intermediate shelves adjustable every 50 mm
- recyclable plastic bottom in 682 x 820 mm
- especially for Euronorm boxes
- color: blue galvanized



*Items inside the products are not included.

More accessories and castor sets available.

Article	Kiel 3.0 Plastic Bottom	Kiel 4.0 Plastic Bottom	Kiel 5.0 Plastic Bottom
Article number	KAD3B50101600COZ101	KAD4B50101600COZ101	KAD5B50101600COZ101
Composition	3-sided	4-sided	5-sided
Overall dimensions, W x D x H mm (Total height with Ø 108 mm castors)	682 x 895 x 1810		
Internal dimensions, W x D x H mm	620 x 820 x 1610	620 x 800 x 1610	620 x 800 x 1585
Payload	500 kg		
Weight	34 kg	43 kg	46 kg
Mesh	wire infill 50 x 50 mm Ø 4 mm		
Shelves	optionally available		
Wheels	2 swivel and 2 fixed castors Ø 108 mm polypropylene		
Surface	blue galvanized		



Hamburg



We offer our anti-theft container **Hamburg** in different versions. With the 50 x 50 mm infill you do not only protect your goods from external access, you also can position the additional intermediate shelves in a very variable way. The Hamburg is available with a 1- and 2-part front wall that can be locked (lock not included). You also can get a 3 or 4-sided container.

Features:

- 3-, 4- or 5-sided roll container
- 2 swivel and 2 fixed castors Ø 108 mm, polypropylene
- swivel-mounted and lockable door (4- and 5-sided)
- recyclable plastic bottom in 724 x 815 mm
- color: blue galvanized




Hamburg available with wing- and foldable door.

Article	Hamburg 3.0 Plastic Bottom	Hamburg 4.0 Plastic Bottom	Hamburg 5.0 Plastic Bottom	Hamburg 5.1.2 Plastic Bottom
Article number	KAD3A50101600COZ101	KAD4A50101600COZ101	KAD5A50101600COZ101	KAD5A50101600C1Z201
Composition	3-sided	4-sided	5-sided	
Overall dimensions, W x D x H mm (Total height with Ø 108 mm castors)	724 x 815 x 1800			
Internal dimensions, W x D x H mm	660 x 775 x 1600	660 x 750 x 1600		
Payload	500 kg			
Weight	37,5 kg	43 kg	48 kg	52 kg
Mesh	wire infill 50 x 50 mm Ø 4 mm			
Shelves	optionally available			1 shelf included
Wheels	2 swivel and 2 fixed castors Ø 108 mm polypropylene			
Surface	blue galvanized			



Munster



Our **Munster** roll container offers you a lot of space to store your goods safely. The Munster is available as a 2- to 5-sided roll container. The optionally available intermediate shelves are available with or without upstand and can be positioned at an angle. This container is ideal to transport your goods and to present to your customers at the same time. Further adjustments are possible on request.

Features:

- 2-, 3-, 4- or 5-sided roll container
- 2 swivel castors and 2 swivel castors with brakes
Ø 125 mm elastic (grey), ball bearing
- swivel-mounted wing-door
- steel bottom 1200 x 800 mm



**Further adjustments are possible on request,
please contact us!**

Article	Munster 2.0 Steel Bottom	Munster 3.0 Steel Bottom	Munster 4.0 Steel Bottom	Munster 5.0 Steel Bottom
Article number	S28001200FC053	S38001200FC053	S48001200FC153	S58001200FC053
Composition	2-sided	3-sided	4-sided	5-sided
Overall dimensions, W x D x H mm (Total height with Ø 125 mm castors)	1200 x 800 x 1820			
Internal dimensions, W x D x H mm	1150 x 790 x 1605	1150 x 775 x 1605	1150 x 750 x 1605	1150 x 750 x 1575
Payload	600 kg			
Weight	43,3 kg	50,8 kg	66,3 kg	73 kg
Mesh	wire infill 50 x 50 mm Ø 4 mm			
Shelves	optionally available			
Wheels	2 swivel and 2 swivel castors with total brake Ø 125 mm elastic (grey), ball bearing			
Surface	blue galvanized			



Mainz



Our **Mainz** roll container is one of our largest roll containers and is great for the transport of your goods on euro pallets. It offers a possible payload of up to 800 kg. Optionally you can also equip the roll container with intermediate shelves to divide it into levels. The roll container is available in 3-, 4- or 5-sided versions.

Features:

- 3-, 4- or 5-sided roll container
- 2 swivel castors and 2 swivel castors with brakes
Ø 125 mm elastic (grey), ball bearing
- swivel-mounted wing-door (4- and 5-sided)
- steel bottom 1350 x 950 mm



*Items inside the products are not included.

Suitable for euro pallets!

Article	Mainz 3.0 Steel Bottom	Mainz 4.0 Steel Bottom	Mainz 5.0 Steel Bottom
Article number	S39501350FC059	S49501350FC159	S59501350FC059
Composition	3-sided	4-sided	5-sided
Overall dimensions, W x D x H mm (Total height with Ø 125 mm castors)	1350 x 950 x 1820		
Internal dimensions, W x D x H mm	1298 x 920 x 1605	1298 x 887 x 1605	
Payload	800 kg		
Weight	68,6 kg	85 kg	94,2 kg
Mesh	wire infill 50 x 50 mm Ø 4 mm		
Shelves	optionally available		
Wheels	2 swivel and 2 swivel castors with total brake Ø 125 mm elastic (grey), ball bearing		
Surface	blue galvanized		



Seewald
Transportgeräte

Nestable roll container



Essen



Our nestable roll container **Essen** is available in three versions from 2- to 4-sides. The bottom has an innovative spring technology and can be folded to the side. The roll container is nestable and therefore guarantees an optimal transport of empties. This does not only save important storage space but also allows the transport of a larger amount of container (when empty).

Features:

- 2-, 3-, or 4-sided nestable roll container
- 2 swivel and 2 fixed castors Ø 108 mm, polyamide
- spring technology in the bottom
- steel bottom 700 x 800 mm
- color: blue galvanized



Nestable roll container save storage and transport costs!

Article	Essen 2.0 Steel Bottom	Essen 3.0 Steel Bottom	Essen 4.0 Steel Bottom
Article number	N2700800CCOZ019	N3700800CCOZ019	N4700800CCOZ019
Composition	2-sided	3-sided	4-sided
Overall dimensions, W x D x H mm (Total height with Ø 108 mm castors)	700 x 800 x 1665		
Internal dimensions, W x D x H mm	655 x 800 x 1465	655 x 770 x 1465	655 x 740 x 1465
Payload	500 kg		
Weight	29,9 kg	36,1 kg	42,3 kg
Mesh	flat steel bar 12 x 3 mm		
Shelves	optionally available		
Wheels	2 swivel and 2 fixed castors Ø 108 mm polyamide		
Surface	blue galvanized		



Jena



Our nestable roll container **Jena** offers you plenty of space for your goods and a space-saving return in empty state. The plastic bottom of the container is foldable to the back using a spring mechanism. The smooth running elastic castor set offers increased comfort and a locking function to prevent unintentional movement of the container.

Features:

- 3- or 4-sided nestable roll container
- 2 swivel castors with brakes and 2 fixed castors Ø 125 mm, tread with elastic (grey), ball bearing
- swivel-mounted door (4-sided)
- 1 foldable intermediate shelf (also available without)
- recyclable plastic bottom



Also available with a steel bottom.

Article	Jena 3.1 Plastic Bottom	Jena 4.1 Plastic Bottom
Article number	N3A1450KC1Z246	N4A1450KC1Z246
Composition	3-sided	4-sided
Overall dimensions, W x D x H mm (Total height with Ø 125 mm castors)	729 x 818 x 1660	
Internal dimensions, W x D x H mm	673 x 794 x 1428	673 x 769 x 1428
Payload	500 kg	
Weight	47,2 kg	53,8 kg
Mesh	wire sticks Ø 6 mm	
Shelves	1 shelf included	
Wheels	2 swivel castors with total brake and 2 fixed castors Ø 125 mm rim made of polyamide, tread made of elastic (grey), ball bearing	
Surface	blue galvanized	

Hanover



Our nestable roll container **Hanover** is available to you as a 3- or 4-sided container. The intermediate plastic shelf which is equipped in the basic version divides the container into two levels and can be folded down, so you can organize your goods optimally. Alternatively you can add another intermediate shelf each in the lower and upper third. The smooth-running set of castors increase the comfort.

Features:

- 3- or 4-sided nestable roll container
- 2 swivel castors with brakes and 2 fixed castors Ø 125 mm, tread with elastic (grey), ball bearing
- up to 2 foldable intermediate shelves
- recyclable plastic bottom



Nestable roll container with smooth-running brand castors!

Article	Hannover 3.1 Plastic Bottom	Hannover 3.2 Plastic Bottom	Hannover 4.1 Plastic Bottom	Hannover 4.2 Plastic Bottom
Article number	N3A1550KC1Z546	N3A1550KC2Z646	N4A1550KC1Z546	N4A1550KC2Z646
Composition	3-sided		4-sided	
Overall dimensions, W x D x H mm (Total height with Ø 125 mm castors)	729 x 818 x 1770			
Internal dimensions, W x D x H mm	673 x 794 x 1538		673 x 769 x 1538	
Payload	500 kg			
Weight	53,4 kg	57,1 kg	59,6 kg	64 kg
Mesh	wire sticks Ø 6 mm			
Shelves	1 shelf included	2 shelves included	1 shelf included	2 shelves included
Wheels	2 swivel castors with total brake and 2 fixed castors Ø 125 mm rim made of polyamide, tread made of elastic (grey), ball bearing			
Surface	blue galvanized			

Furth



Our nestable anti-theft container **Furth** does not only offer you the possibility of space-saving return transport, but also a direct protection against unauthorized access to your goods. The door of the nestable container can be locked (lock not included). The top, the intermediate shelf and the bottom are optionally available in plastic or steel.

Features:

- 5-sided nestable roll container
- 2 swivel castors with brakes and 2 fixed castors Ø 125 mm, tread with elastic (grey), ball bearing
- swivel-mounted & lockable door (lock not included)
- 1 intermediate shelf (only 5.1)
- recyclable plastic bottom
- color: blue galvanized



Available with plastic or steel bottom!

Article	Furth 5.0 Plastic Bottom	Furth 5.1 Plastic Bottom	Furth 5.0 Steel Bottom	Furth 5.1 Steel Bottom
Article number	N5730815CCOZ446	N5730815CC1Z146	N5730815CCOZ246	N5730815CC1Z046
Composition	5-sided			
Overall dimensions, W x D x H mm (Total height with Ø 125 mm castors)	728 x 823 x 1880			
Internal dimensions, W x D x H mm	670 x 773 x 1590		670 x 773 x 1615	
Payload	500 kg			
Weight	69,4 kg	73,9 kg	68,8 kg	73 kg
Mesh	wire infill 50 x 50 mm Ø 4 mm			
Shelves	optionally available	1 foldable shelf included	optionally available	1 foldable shelf included
Wheels	2 swivel castors with total brake and 2 fixed castors Ø 125 mm rim made of polyamide, tread made of elastic (grey), ball bearing			
Surface	blue galvanized			

Siegen



The **Siegen** is our larger version of the nestable anti-theft container and enables an optimal transport of empties. Despite the size, the nestable function saves space. The container is available with the wire infill of 100 x 50 mm or 50 x 50 mm. If the supplied intermediate shelf is not enough for our purpose, you can add more at any time.

Features:

- 5-sided nestable roll container
- 2 swivel castors with brakes and 2 fixed castors Ø 125 mm, tread with elastic (grey), ball bearing
- swivel-mounted & lockable door (lock not included)
- steel intermediate shelf (foldable to the back)
- available in the mesh size 100 x 50 mm & 50 x 50 mm



Easy handling, telescopic!

Article	Siegen 5.1 Steel Bottom	Siegen 5.1 Steel Bottom (tight mesh)
Article number	N58001200CC1Z053	N58001200CC1Z153
Composition	5-sided	
Overall dimensions, W x D x H mm (Total height with Ø 125 mm castors)	1200 x 800 x 1820	
Internal dimensions, W x D x H mm	1145 x 735 x 1545	
Payload	500 kg	
Weight	95 kg	103 kg
Mesh	wire infill 100 x 50 mm Ø 4 mm	wire infill 50 x 50 mm Ø 4 mm
Shelves	1 shelf included	
Wheels	2 swivel castors with total brake and 2 fixed castors Ø 125 mm rim made of polyamide, tread made of elastic (grey), ball bearing	
Surface	blue galvanized	



Seewald
Transportgeräte

Ball trolley





Kassel



*Items inside the product are not included.

Our ball trolley **Kassel** is characterized by a high ease of use. Its two loading doors allow an easy loading and unloading. If the ball trolley is not in use, it can be folded up to save space very comfortable. Quiet running swivel castors make transport additionally easier. The Kassel ball trolley can be expanded with additional accessories, e.g. compartment dividers.

Features:

- 5-sided ball trolley
- 4 swivel castors Ø 100 mm, TPR tread
- foldable roof
- front wall with foldable opening
- foldable (in empty state)
- steel bottom 1040 x 610 mm
- color: blue galvanized



Further accessories are optionally available!

Article	Kassel 5.0 Steel Bottom
Article number	BW1040C032
Composition	5-sided
Overall dimensions, W x D x H mm (Total height with Ø 100 mm castors)	1040 x 610 x 1000
Internal dimensions, W x D x H mm	950 x 585 x 870
Payload	150 kg
Weight	30 kg
Mesh	wire infill 40 x 100 mm
Shelves	not available
Wheels	4 swivel castors Ø 100 mm TPR, ball bearing
Surface	blue galvanized

Bochum



Our anti-theft ball trolley **Bochum** stands out by its generous amount of space. The trolley offers plenty of space for the transport and storage of your goods due to the three or four equipped intermediate shelves with an upstand of 40 mm, the large wing doors and an optional basketed structure. The tight set of steel mesh of the ball trolley protect your goods. The ball trolley is available with the heights of 1400 and 1700 mm.

Features:

- 5-sided ball trolley (also possible with 3 or 4 sides)
- 2 swivel castors and 2 swivel castors with brakes
Ø 125 mm, elastic (grey), ball bearing
- intermediate shelves with an 40 mm upstand
- swivel-mounted and lockable wing-door
(lock not included)
- steel bottom 1500 x 620 mm
- color: blue galvanized

*Items inside the product are not included.



Also as a 3- or 4-sided version possible. Contact us!

Article	Bochum M 5.3 Steel Bottom	Bochum M 5.3 (with basket) Steel Bottom	Bochum L 5.4 Steel Bottom	Bochum L 5.4 (with basket) Steel Bottom
Article number	S56201500FO3ZC053	S56201500FA3ZC053	S56201500FO4ZC153	S56201500FA4ZC153
Composition	5-sided			
Overall dimensions, W x D x H mm (Total height with Ø 125 mm castors)	1500 x 620 x 1400	1500 x 620 x 1550	1500 x 620 x 1700	1500 x 620 x 1850
Internal dimensions, W x D x H mm	1440 x 550 x 1190		1440 x 550 x 1490	
Payload	500 kg			
Weight	87,1 kg	92,2 kg	99,6 kg	104,7 kg
Mesh	wire infill 50 x 50 mm Ø 4 mm			
Shelves	3 shelves included		4 shelves included	
Wheels	2 swivel and 2 swivel castors with total brake Ø 125 mm elastic (grey), ball bearing			
Surface	blue galvanized			



Seewald
Transportgeräte

Accessories





Laundry bags



Laundry bags are on the inside of the roll container and are used for collecting dirty laundry. They protect the laundry from further dirt and damage and improve the appearance of the filled container.

Fabric:

- 100% polyester
- fabric ca. 220 g/m²
- thermofixed, durable, easy to clean

Design:

- toggle lock
- color: blue / white
- print of logo possible



Upon request: logo imprint in thermal printing process, washable.

For Basic I

Article number	WSB6007201520OL/ WSW6007201520OL	WSB6007201730OL/ WSW6007201730OL
Container size, W x D x H mm	600 x 720 x 1520	600 x 720 x 1730
Laundry bag size, W x D x H mm	555 x 675 x 1370	555 x 675 x 1580

For Premium I

Article number	WSB6007401150OL/ WSW6007401150OL	WSB6007401350OL/ WSW6007401350OL	WSB6007401520OL/ WSW6007401520OL
Container size, W x D x H mm	600 x 740 x 1150	600 x 740 x 1350	600 x 740 x 1520
Laundry bag size, W x D x H mm	555 x 695 x 1000	555 x 695 x 1200	555 x 695 x 1370

For Premium II

Article number	WSB6008101150OL/ WSW6008101150OL	WSB6008101350OL/ WSW6008101350OL	WSB6008101520OL/ WSW6008101520OL	WSB6008101700OL/ WSW6008101700OL
Container size, W x D x H mm	600 x 810 x 1150	600 x 810 x 1350	600 x 810 x 1520	600 x 810 x 1700
Laundry bag size, W x D x H mm	555 x 765 x 1000	555 x 765 x 1200	555 x 765 x 1370	555 x 765 x 1550

For Basic II and Premium III

Article number	WSB7208101150OL/ WSW7208101150OL	WSB7208101350OL/ WSW7208101350OL	WSB7208101520OL/ WSW7208101520OL	WSB7208101700OL/ WSW7208101700OL	WSB7208101800OL/ WSW7208101800OL
Container size, W x D x H mm	720 x 810 x 1150	720 x 810 x 1350	720 x 810 x 1520	720 x 810 x 1700	720 x 810 x 1800
Laundry bag size, W x D x H mm	675 x 765 x 1000	675 x 765 x 1200	675 x 765 x 1370	675 x 765 x 1550	675 x 765 x 1650



Cover hoods



Cover hoods are used for the transport of clean laundry in laundry containers and are fixed on the outside. They are mainly used for distributing clean laundry and protect them from dirt and damage.

Fabric:

- 100% polyester
- fabric ca. 220 g/m²
- thermofixed, durable, easy to clean

Design:

- toggle lock
- color: blue / white
- print of logo possible



Upon request: logo imprint in thermal printing process, washable.

For Basic I

Article number	AHB6007201520OL/ AHW6007201520OL	AHB6007201730OL/ AHW6007201730OL
Container size, W x D x H mm	600 x 720 x 1520	600 x 720 x 1730
Cover hood size, W x D x H mm	600 x 720 x 1392	600 x 720 x 1602

For Premium I

Article number	AHB6007401150OL/ AHW6007401150OL	AHB6007401350OL/ AHW6007401350OL	AHB6007401520OL/ AHW6007401520OL
Container size, W x D x H mm	600 x 740 x 1150	600 x 740 x 1350	600 x 740 x 1520
Cover hood size, W x D x H mm	600 x 740 x 1022	600 x 740 x 1222	600 x 740 x 1392

For Premium II

Article number	AHB6008101150OL/ AHW6008101150OL	AHB6008101350OL/ AHW6008101350OL	AHB6008101520OL/ AHW6008101520OL	AHB6008101700OL/ AHW6008101700OL
Container size, W x D x H mm	600 x 810 x 1150	600 x 810 x 1350	600 x 810 x 1520	600 x 810 x 1700
Cover hood size, W x D x H mm	600 x 810 x 1022	600 x 810 x 1222	600 x 810 x 1392	600 x 810 x 1572

For Basic II and Premium III


Article number	AHB7208101150OL/ AHW7208101150OL	AHB7208101350OL/ AHW7208101350OL	AHB7208101520OL/ AHW7208101520OL	AHB7208101700OL/ AHW7208101700OL	AHB7208101800OL/ AHW7208101800OL
Container size, W x D x H mm	720 x 810 x 1150	720 x 810 x 1350	720 x 810 x 1520	720 x 810 x 1700	720 x 810 x 1800
Cover hood size, W x D x H mm	720 x 810 x 1022	720 x 810 x 1222	720 x 810 x 1392	720 x 810 x 1572	720 x 810 x 1672



Document frames

- for DIN A4, A5 and A6
- loose, variable plugged or screwed
- surface: blue galvanized

	Art.-No.	Art.-No.	Art.-No.
Dimension	A4	A5	A6
plugged, vertical	DHGA4B	DHGA5B	DHGA6B
plugged, horizontal	DQGA4B	DQGA5B	DQGA6B
screwed, vertical	DHGA4B	DHGA5B	DHGA6B
screwed, horizontal	DQGA4B	DQGA5B	DQGA6B



Clip-On board A5

- dimension DIN A5
- loose, variably attachable
- writable surface

Article number	AHGBA5B
Dimension	DIN A5

Label panel

- dimension 150 x 140 mm
- writable surface

Article number	BB150140B
Dimension (W x H)	150 x 140 mm



Clothes rail (screwable)

- for laundry container
- loose, variably attachable
- surface: blue galvanized

For laundry container	Basic I Premium I / II	Basic II Premium III	Bremen Bern	Bonn
Article number	WKS600B	WKS720B	WKS850B	WKS940B
Dimension	570 mm	690 mm	825 mm	880 mm
Weight	0,50 kg	0,60 kg	0,68 kg	0,74 kg



Bumper wheels

Wheel rim made of polypropylene with a tread made of thermoplastic elastomer (95° Shore A) in grey.

For laundry container	Basic 3.0 Premium 3.0	Basic 4.0 Premium 4.0
Article number	AWRBP3	AWRBP4
Outer diameter	Ø50 mm	Ø50 mm
Inside diameter	Ø22 mm	Ø22 mm
Weight	0,03 kg	0,03 kg



Switching system

Our protected switching system is a smart 2-in-1 solution that enables easy handling. You can switch between two swivel castors and two fixed castors on four swivel castors with just one click. The user benefits from easier handling. In addition, you can counteract a transverse gear.

For laundry container	Basic I Premium I/II	Basic II Premium III	Bremen Bern	Bonn
Article number	US450TPE100	US570TPE100	US480TPE100	US400TPE100
Dimension	450 mm	570 mm	480 mm	400 mm



Steel intermediate shelf, attachable

- for laundry container Basic and Premium
- loose, variably attachable
- steel grid: blue galvanized

Article number	ZBSL600720B	ZBSL600740B	ZBSL600810B	ZBSL720810B
Dimension (B x T)	611 x 660 mm	606 x 670 mm	606 x 740 mm	726 x 740 mm
Weight	2,1 kg	2,1 kg	2,3 kg	3,9 kg
Payload	150 kg			



Steel intermediate shelf, foldable

- for laundry container Basic and Premium
- fixed and foldable
- steel grid: blue galvanized

Article number	ZBSK600720BU	ZBSK600740BU	ZBSK600810BU	ZBSK720810BU
Dimension (B x T)	615 x 660 mm	610 x 670 mm	610 x 740 mm	730 x 740 mm
Weight	3,0 kg	3,1 kg	3,4 kg	3,6 kg
Payload	150 kg			



Steel intermediate shelf, foldable, nap structure plate


- for laundry container Basic and Premium
- fixed and foldable
- with a 5 mm nap structure plate in white
- steel grid: blue galvanized

Article number	ZBSKK600720B	ZBSKK600740B	ZBSKK600810B	ZBSKK720810B
Dimension (B x T)	615 x 660 mm	610 x 670 mm	610 x 740 mm	730 x 740 mm
Weight	3,4 kg	3,4 kg	3,8 kg	4,0 kg
Payload	150 kg			


Intermediate shelf, foldable, phenolic resin plate

- for laundry container Basic and Premium
- fixed and foldable
- with a 4 mm phenolic resin plate
- steel grid: blue galvanized

Article number	ZBSKH600720B	ZBSKH600740B	ZBSKH600810B	ZBSKH720810B
Dimension (B x T)	615 x 660 mm	610 x 670 mm	610 x 740 mm	730 x 740 mm
Weight	4,0 kg	4,0 kg	4,4 kg	4,6 kg
Payload	150 kg			


Intermediate shelf with phenolic resin plate

- for laundry container Basic and Premium
- loose, variably attachable
- with a 8 mm phenolic resin plate
- steel grid: blue galvanized

Article number	ZBSH600720B	ZBSH600740B	ZBSH600810B	ZBSH720810B
Dimension (B x T)	615 x 660 mm	610 x 670 mm	610 x 740 mm	730 x 740 mm
Weight	3,2 kg	3,2 kg	3,4 kg	4,1 kg
Payload	150 kg			


Wire mesh intermediate shelf without/ with upstand

- for roll container with the bottom size of 460 x 620 mm
- loose, variably attachable
- surface: blue galvanized

Article number	ZD460ORKFC001	ZD460MRKFC001
Dimension (B x T)	460 x 640 mm	460 x 640 x 100 mm
Weight	2,5 kg	2,8 kg
Payload	150 kg	
Upstand	without upstand	with 100 mm upstand


Wire mesh intermediate shelf with upstand

- for roll container with the bottom size of 600 x 600 mm
- loose, variably attachable
- surface: blue galvanized

Article number	ZD600MRKFC001	ZD600MRKFC002
Dimension (B x T)	600 x 600 x 20 mm	600 x 600 x 100 mm
Weight	3 kg	3,4 kg
Payload	150 kg	
Upstand	with 20 mm upstand	with 100 mm upstand


Wire mesh intermediate shelf without upstand

- for laundry and roll container with the bottom size of 1200 x 800 mm
- loose, variably attachable
- surface: blue galvanized



Article number	ZD1200ORKFC001
Dimension (B x T)	1200 x 800 mm
Weight	5,80 kg
Payload	150 kg

Wire mesh intermediate shelf with 20 mm upstand

- for laundry and roll container with the bottom size of 1200 x 800 mm
- loose, variably attachable
- surface: blue galvanized



Article number	ZD1200MRKFC001
Dimension (B x T)	1200 x 800 x 20 mm
Weight	5,90 kg
Payload	150 kg

Wire mesh intermediate shelf with 20 mm upstand, attachable with angle

- for laundry and roll container with the bottom size of 1200 x 800 mm
- loose, attachable in various angle
- surface: blue galvanized




Article number	ZD1200SRKFC001
Dimension (B x T)	1200 x 800 x 20 mm
Weight	6,90 kg
Payload	150 kg

Wire mesh intermediate shelf without upstand

- for roll container with the bottom size of 1350 x 950 mm
- loose, variably attachable
- surface: blue galvanized




Article number	ZD1350ORKFC001
Dimension (B x T)	1350 x 950 mm
Weight	15,40 kg
Payload	200 kg


Plastic intermediate shelf for the size 682 x 815 mm

- different intermediate shelves for 2- and 3-sided roll container
- loose, variably attachable
- reinforced with 3 flat irons
- color: gentian blue similar to RAL 5010

Article number	E70B02PEF35010	E70B03PEF35010
Dimension (B x T)	620 x 810 mm	620 x 760 mm
Roll container type	2-sided	3-sided
Weight	3 kg	
Payload	150 kg	


Plastic intermediate shelf for the size 714 x 815 mm

- different intermediate shelves for 2-, 3- and 4-sided laundry container
- loose, variably attachable
- reinforced with 3 flat irons
- color: gentian blue similar to RAL 5010

Article number	E70A23PEF35010	E70A04PEF35010
Dimension (B x T)	710 x 760 mm	710 x 710 mm
Roll container type	2- & 3-sided	4-sided
Weight	3 kg	
Payload	150 kg	


Wire mesh intermediate shelf

- for 2-, 3- and 4-sided roll, laundry and anti-theft container with the bottom size of 724 x 815 mm
- loose, variably attachable
- surface: blue galvanized

Article number	ZBD725ADLC004
Dimension (B x T)	720 x 810 mm
Weight	4,20 kg
Payload	150 kg


Wire intermediate shelf


- for 2-, 3- and 4-sided roll and anti-theft container with the bottom size of 682 x 815 mm
- loose, variably attachable
- surface: blue galvanized

Article number	ZBD682ADLC008
Dimension (B x T)	680 x 810 mm
Weight	4,20 kg
Payload	150 kg


Textile strap with elastic rubber

- 2 wire hooks
- black/ grey
- for container up to 750 mm width

Article number	E150001BL
Dimension (B x T)	520 x 50 mm
Max. recommended span	750 mm


Textile strap with elastic rubber


- 1 wire hook/ 1 wire loop
- black/ grey
- for container up to 750 mm width

Article number	E150002BL
Dimension (B x T)	560 x 50 mm
Max. recommended span	750 mm


Textile strap with polypropylene

- 1 round wire hook/ 1 clamp lock
- blue, red, yellow, black
- for container up to 800 mm width

Article number	E459945	E459941	E459940	E459943
Color	blue	red	yellow	black
Dimension (B x T)	1050 x 25 mm	1050 x 25 mm	1050 x 25 mm	1050 x 25 mm
Max. recommended span	800 mm	800 mm	800 mm	800 mm


Textile strap with polypropylene with elastic

- 1 round wire hook/ 1 clamp lock
- blue, red, yellow, black
- for container up to 800 mm width

Article number	E459965	E459961	E459960	E459966
Color	blue	red	yellow	black
Dimension (B x T)	1050 x 25 mm	1050 x 25 mm	1050 x 25 mm	1050 x 25 mm
Max. recommended span	800 mm	800 mm	800 mm	800 mm



Elastic strap

- 2 wire hooks
- black
- for container up to 750 mm width

Article number	B454001
Dimension (B x T)	480 x 37 mm
Max. recommended span	750 mm



Elastic strap

- 1 wire hook/ 1 loop
- black
- for container up to 750 mm width

Article number	B454002
Dimension (B x T)	400 x 37 mm
Max. recommended span	750 mm



Elastic strap

- 1 metal peg/ 1 metal loop
- grey
- for container up to 800 mm width


Article number	B454501
Dimension (B x T)	485 x 40 mm
Max. recommended span	800 mm



Elastic strap

- 1 metal peg/ 1 metal loop
- grey
- for container up to 900 mm width

Article number	B456302
Dimension (B x T)	640 x 30 mm
Max. recommended span	900 mm



Elastic strap

- 1 metal peg/ 1 metal loop
- grey
- for container up to 1100 mm width

Article number	B457503
Dimension (B x T)	780 x 40 mm
Max. recommended span	1.100 mm



Seewald
Transportgeräte











Wheels and castors



We work with
CASCOO wheels!

Technical guide

Castor definition



① Wheel diameter	⑥ Offset	⑪ Width of tread
② Total height	⑦ Dimension of plate	⑫ Width of hub
③ Mounting height	⑧ Dimension of plate holes	⑬ Wheel bearing
④ Material thickness plate	⑨ Diameter of plate holes	⑭ Screw size
⑤ Material thickness fork	⑩ Diameter of bolt hole	

Technical guide

Symbols. Housing.



Wheel diameter



External dimension mounting plate



Mounting dimension



Hole diameter



Offset dimension



Swivel radius



Total height

Symbols. Wheel.



Tread width



Hub width



Load capacity



Bushing diameter



Screw size

CASCOO Basics

Series P2D2

Technical specifications:

- rim: polypropylene
- tread: thermopl. rubber 65° Shore A
- bearing: single ball bearing
- threadguard: small plastic threadguard
- temperature range: -20°C to +60°C



Swivel castor								
Article number	mm	mm	mm	mm	mm	mm		kg
SBP26WC100P2D2B32	100	105x80	80x60	9	40	125		135
SBP35WC125P2D2B32	125	105x80	80x60	9	40	155		165



Fixed castor								
Article number	mm	mm	mm	mm		mm		kg
FBP22WC100P2D2B32	100	105x80	80x60	9		125		135
FBP32WC125P2D2B32	125	105x80	80x60	9		155		165



Swivel castor with total brake								
Article number	mm	mm	mm	mm	mm	mm	mm	kg
TBP25WC100P2D2B32	100	105x80	80x60	9	40	125	127	135
TBP35WC125P2D2B32	125	105x80	80x60	9	45	155	127	165



Wheel only								
Article number	mm	mm	mm	mm	mm			kg
100P2D2B32	100	35	40	12	M8			135
125P2D2B32	125	40	50	15	M10			165



CASCOO Basics

Series POP0

Technical specifications:

- rim: polypropylene
- tread: polypropylene
- bearing: roller bearing
- threadguard: small metall threadguard
- temperature range: -20°C to +60°C



Swivel castor								
Article number	mm	mm	mm	mm	mm	mm		kg
SBP25WC100POP0R1W	100	105x80	80x60	9	40	125		100
SBP25WC108POP0R1W	108	105x80	80x60	9	40	132		150
SBP35WC125POP0R1W	125	105x80	80x60	9	40	155		150



Fixed castor								
Article number	mm	mm	mm	mm		mm		kg
FBP22WC100POP0R1W	100	105x80	80x60	9		125		100
FBP22WC108POP0R1W	108	105x80	80x60	9		132		150
FBP32WC125POP0R1W	125	105x80	80x60	9		155		150



Swivel castor with total brake								
Article number	mm	mm	mm	mm	mm	mm	mm	kg
TBP25WC100POP0R1W	100	105x80	80x60	9	40	125	127	100
TBP25WC108POP0R1W	108	105x80	80x60	9	45	132	127	150
TBP35WC125POP0R1W	125	105x80	80x60	9	45	155	127	150



Wheel only								
Article number	mm	mm	mm	mm	mm			kg
100POP0R1W	100	36	40	12	M8			100
108POP0R1W	108	36	40	12	M8			150
125POP0R1W	125	38	50	15	M10			150

CASCOO Premium

Series R4E2

Technical specifications:

- rim: polyamide
- tread: elastic grey 65° Shore A
- bearing: single ball bearing
- threadguard: small plastic threadguard
- temperature range: -20°C to +80°C



Swivel castor								
Article number	mm	mm	mm	mm	mm	mm		kg
SPP21WC100R4E2B34	100	105x80	80x60	9	40	128		200
SPP31WC125R4E2B34	125	105x80	80x60	9	40	155		220



Fixed castor								
Article number	mm	mm	mm	mm		mm		kg
FPP22WC100R4E2B34	100	105x80	80x60	9		128		200
FPP35WC125R4E2B34	125	105x80	80x60	9		155		250



Swivel castor with total brake								
Article number	mm	mm	mm	mm	mm	mm	mm	kg
TPP21WC100R4E2B34	100	105x80	80x60	9	40	128	127	200
TPP31WC125R4E2B34	125	105x80	80x60	9	45	155	127	220



Wheel only								
Article number	mm	mm	mm	mm	mm			kg
100R4E2B34	100	35	40	8	M8			200
125R4E2B34	125	38	50	10	M10			250

CASCOO Premium

Series N2U6

Technical specifications:

- rim: polyamide
- tread: thermopl. polyurethane 95° Shore A
- bearing: single ball bearing
- threadguard: small plastic threadguard
- temperature range: -40°C to +80°C



Swivel castor								
Article number	mm	mm	mm	mm	mm	mm		kg
SPP21WC100N2U6B32	100	105x80	80x60	9	40	128		150
SPP31WC125N2U6B32	125	105x80	80x60	9	40	155		200



Fixed castor								
Article number	mm	mm	mm	mm		mm		kg
FPP25WC100N2U6B32	100	105x80	80x60	9		128		150
FPP35WC125N2U6B32	125	105x80	80x60	9		155		200



Swivel castor with total brake								
Article number	mm	mm	mm	mm	mm	mm	mm	kg
TPP21WC100N2U6B32	100	105x80	80x60	9	40	128	127	150
TPP31WC125N2U6B32	125	105x80	80x60	9	45	155	127	200



Wheel only								
Article number	mm	mm	mm	mm	mm			kg
100N2U6B32	100	32	40	8	M8			150
125N2U6B32	125	32	50	10	M10			200

CASCOO Special construction

Series POP0



*Illustration can deviate.

Technical specifications:

- rim: polypropylene
- tread: polypropylene
- bearing: roller bearing
- threadguard: big metall threadguard
- temperature range: -20°C to +60°C

Article number							
Swivel castor	mm	mm	mm	mm	mm	mm	kg
SBP25WC108P0P0R2W	108	105x80	80x60	9	40	132	150
Fixed castor							
FBP22WC108P0P0R2W	108	105x80	80x60	9		132	150

Castors for the switching system



*Illustration can deviate.

Technical specifications:

- Rim: polypropylene/ polyamide
- Bearing: single ball bearing
- Threadguard: small plastic threadguard
- Temperature range: -20°C (-40C) to +80°C

Article number	Tread							
		mm	mm	mm	mm	mm	mm	kg
DIRSPP21WC100P2D2B32	Thermoplastic rubber 65° Shore A	100	105x80	80x60	9	40	125	135
DIRSPP31WC125P2D2B32	Thermoplastic rubber 65° Shore A	125	105x80	80x60	9	40	155	165
DIRSPP21WC100R4E2B34	Elastic grey 65° Shore A	100	105x80	80x60	9	40	128	200
DIRSPP31WC125R4E2B34	Elastic grey 65° Shore A	125	105x80	80x60	9	40	155	220
DIRSPP21WC100N2U6B32	Thermoplastic polyurethane 95° Shore A	100	105x80	80x60	9	40	128	150
DIRSPP31WC125N2U6B32	Thermoplastic polyurethane 95° Shore A	125	105x80	80x60	9	40	155	200



Seewald
Transportgeräte

Your partner for transport equipment

