


PRODUCT CATALOG

Laundry container, rolltainer® & more

Bonn 4.2



Landsberg XXL



Seewald
Transportgeräte



CONTENTS

About Seewald Transportgeräte GmbH	4
General product information	5
Laundry container	6
Laundry trolley	30
rolltainer®	38
nestainer®	46
Ball trolley	52
Accessories	55
Wheels & castors	68



SEEWALD TRANSPORTGERÄTE GMBH

Our family business Seewald Transportgeraete GmbH was founded in 2014 and is based in the marvelous Peiting, Bavaria. Our focus is on laundry and rolltainer®, but we are going one step further.

We complement our portfolio not only with different accessories, but also with extensions for a wide variety of applications. We do not stop with our high-quality products and additionally offer you individual and comprehensive advice. In addition, we are happy to produce special solutions for you according to your wishes and with our technical know-how. We are already passing on this knowledge to the 2nd generation.

Our goal is to be a competent partner for your company in order to offer you the best transport options and to make your work easier. That is why we are constantly improving our products. Your needs are what drives us. We look forward to work with you in the future.

GENERAL PRODUCT INFORMATION

Our products are designed to offer the best cost-effectiveness. It is no problem, if the basic equipment does not suit your needs. All of our laundry and rolltainer® can be adapted and aligned to the given task area. If none of our standard containers are suitable for you, please contact us directly. We are happy to construct a custom-made product that is tailored to your needs. In addition, we offer you the option of individually embossing your new containers and labeling it with your company name, so that you immediately can see who the container belongs to. Just talk to us, together we will find the best solution. with us you move the progress in your company.

Our article names should make is easy for you to find the right product. We have developed a „code“ for this purpose, which we would like to explain briefly. In general, we talk about plastic, steel or wooden bottoms for laundry and rolltainer®. We use combinations of numbers and sizes to make it easier to distinguish the containers. Special features are in brackets ().

One of our premium and special models serves as an example:

PRODUCT NAME						ARTICLE NUMBER								
Premium	I	S	3.	0	Steel Bottom	W	P	S	3.	600	740	1150	B	00000
Name of the container	Variant of the base plate	Size of height	3-sided	Amount of intermediate shelves	Version of the bottom	Laundry container	Premium	Steel	3-sided	Width	Depth	Height	Blue galvanized	Standard version

Bonn	4.	2	Steel Bottom	W	S	4.	940	560	1760	B	22	000
Name of the container	4-sided	Amount of intermediate shelves	Version of the bottom	Laundry container	Steel	4-sided	Width	Depth	Height	Blue galvanized	Amount of intermediate shelves	Standard castors



SWITZERLAND 5.2

With our **Switzerland 5.2** laundry container, we present the absolute innovation as an alternative to cupboard trolleys and transport trolleys made from a mix of aluminium and plastic. Aluminium is used for the frame and provides the necessary stability. The privacy panels are made of plastic. This mix ensures that the trolley is neither too light nor too heavy and is easy to move. As a further extra, the Switzerland is equipped with our patented switching system and has a hinged lid and a double-leaf door. Another special feature is that the plastic panels can be replaced if damaged.


Features:

- 5-sided laundry container
- plastic plates and a frame made of aluminium
- 2 foldable intermediate shelves included
- color: anodized aluminium



More accessories and
castor sets available.

	Switzerland 5.2 aluminium/plastic
Article number	WWK58506301750A2Z000
Composition	5-sided
Overall dimensions (B x T x H in mm) Total height with Ø 100 mm castors	875 x 650 x 1750 mm
Internal dimensions (W x D x H mm)	810 x 600 x 1600 mm
Payload	400 kg
Weight	40 kg
Mesh	plastic plates and a frame made of aluminium
Shelves	2 foldable intermediate shelves included
Wheels	4 swivel castors, Ø 100 mm, TPE, ball bearing (with switching system)
Surface	eloxiertes aluminium



PREMIUM I 3.0

The 3-sided **Premium I** is available in three different heights and is equipped with smooth-running brand castors. Despite the smaller base plate, the laundry container has a very stable construction, which shows the high quality. The very good properties in the areas of comfort, handling and operation makes your daily work noticeably easier.

- Features:
- 3-sided Premium I laundry container
 - available in the heights 1150, 1350 and 1520 mm
 - 2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
 - steel bottom
 - color: blue galvanized



Also available with a plastic or wooden bottom, as well as further accessories and castor sets.

	Premium I S 3.0 Steel Bottom	Premium I M 3.0 Steel Bottom	Premium I L 3.0 Steel Bottom
Article number	WPS36007401150B00000	WPS36007401350B00000	WPS36007401520B00000
Composition	3-sided		
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	600 x 740 x 1150	600 x 740 x 1350	600 x 740 x 1520
Internal dimensions (W x D x H mm)	555 x 695 x 1000	555 x 695 x 1200	555 x 695 x 1370
Payload	400 kg		
Weight	21 kg	22 kg	24 kg
Mesh	round bar: 4/6 x vertical (Ø 6 mm), 2 x horizontal (Ø 7,8 mm)		round bar: 4/6 x vertical (Ø 6 mm), 3 x horizontal (Ø 7,8 mm)
Shelves	optionally available		
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing		
Surface	blue galvanized		



PREMIUM I 4.0

Our 4-sided version of the **Premium I** has the same advantages as the 3-sided version with the addition of a swivel-mounted front wall. In addition, the upper part of the front wall can be folded down to simplify loading and accessing the container. To be expanded for example, the Premium I can be equipped with document frames and many more.

- Features:
- same as Premium I 3.0 (page 8)
 - 4-sided Premium I laundry container
 - additionally with a foldable & swivel-mounted door
 - expandable with intermediate shelves, document frames, bumper wheels and many more



Also available with a plastic or wooden bottom, as well as further accessories and castor sets.

	Premium I S 4.0 Steel Bottom	Premium I M 4.0 Steel Bottom	Premium I L 4.0 Steel Bottom
Article number	WPS46007401150B00000	WPS46007401350B00000	WPS46007401520B00000
Composition	4-sided		
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	600 x 740 x 1150	600 x 740 x 1350	600 x 740 x 1520
Internal dimensions (W x D x H mm)	555 x 695 x 1000	555 x 695 x 1200	555 x 695 x 1370
Payload	400 kg		
Weight	25 kg	27 kg	29 kg
Mesh	round bar: 4/6 x vertical (Ø 6 mm), 2 x horizontal (Ø 7,8 mm)		round bar: 4/6 x vertical (Ø 6 mm), 2/3 x horizontal (Ø 7,8 mm)
Shelves	optionally available		
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing		
Surface	blue galvanized		



PREMIUM II 3.0

Our laundry container **Premium II** is available in four different heights with our 3-sided version. The smoothrunning brand castors under the middle base plate move the solid construction safely through your company. The smaller mesh, compared to the Basic model, increases the stability and quality. On request, the plastic bottom can be exchanged against a steel or wooden bottom.

- Features:**
- 3-sided Premium II laundry container
 - available in the heights 1350, 1520 and 1700 mm
 - 2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
 - plastic bottom
 - maximum usable height 1550 mm (size XL)
 - color: blue galvanized



Also available with a plastic or wooden bottom, as well as further accessories and castor sets.

	Premium II M 3.0 Plastic Bottom	Premium II L 3.0 Plastic Bottom	Premium II XL 3.0 Plastic Bottom
Article number	WPK36008101350 B00000	WPK36008101520 B00000	WPK36008101700 B00000
Composition	3-sided		
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	600 x 810 x 1350	600 x 810 x 1520	600 x 810 x 1700
Internal dimensions (W x D x H mm)	555 x 765 x 1200	555 x 765 x 1370	555 x 765 x 1550
Payload	400 kg		
Weight	24 kg	25,5 kg	27 kg
Mesh	round bar: 4/6 x vertical (Ø 6 mm), 2 x horizontal (Ø 7,8 mm)	round bar: 4/6 x vertical (Ø 6 mm), 2/3 x horizontal (Ø 7,8 mm)	
Shelves	optionally available		
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing		
Surface	blue galvanized		



PREMIUM II 4.0


With our 4-sided version, the front wall comes additionally, which is swivel-mounted and the upper part can be folded down. You are welcome to expand the basic equipment with intermediate shelves or our innovative switching system, which converts the two swivel castors into two fixed castors with just one „click“.

- Features:**
- same as Premium II 3.0 (page 10)
 - 4-sided Premium II laundry container
 - additionally with a foldable & swivel-mounted door
 - expandable with our innovative switching system



Also available with a plastic or wooden bottom, as well as further accessories and castor sets.

	Premium II M 4.0 Steel Bottom	Premium II L 4.0 Steel Bottom	Premium II XL 4.0 Steel Bottom
Article number	WPS46008101350 B00000	WPS46008101520 B00000	WPS46008101700 B00000
Composition	4-sided		
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	600 x 810 x 1350	600 x 810 x 1520	600 x 810 x 1700
Internal dimensions (W x D x H mm)	555 x 765 x 1200	555 x 765 x 1370	555 x 765 x 1550
Payload	400 kg		
Weight	28 kg	30 kg	32 kg
Mesh	round bar: 4/6 x vertical (Ø 6 mm), 2 x horizontal (Ø 7,8 mm)	round bar: 4/6 x vertical (Ø 6 mm), 2/3 x horizontal (Ø 7,8 mm)	
Shelves	optionally available		
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing		
Surface	blue galvanized		



PREMIUM III 3.0

The 3-sided laundry container **Premium III** is available in five different heights and features smooth-running brand castors. with a basic dimension of 720 x 810 mm and a maximum height of 1800 mm it has a large capacity. The closed wooden bottom on the large base plate is very robust and therefore suitable for many possible applications. Due to the size and stability the user can do the work easy and safe.

Features:

- 3-sided Premium III laundry container
- available in the heights 1150, 1350, 1520, 1700 and 1800 mm
- 2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
- up to 400 kg load capacity
- wooden bottom
- color: blue galvanized



Also available with a steel or plastic bottom, as well as further accessories and castor sets.

	Premium III S 3.0 Wooden Bottom	Premium III M 3.0 Wooden Bottom	Premium III L 3.0 Wooden Bottom	Premium III XL 3.0 Wooden Bottom	Premium III XXL 3.0 Wooden Bottom
Article number	WPH37208101150 B00000	WPH37208101350 B00000	WPH37208101520 B00000	WPH37208101700 B00000	WPH37208101800 B00000
Composition	3-sided				
Overall dimensions* Total height with Ø 100 mm castors	720 x 810 x 1150	720 x 810 x 1350	720 x 810 x 1520	720 x 810 x 1700	720 x 810 x 1800
InnenDimension*	675 x 765 x 1000	675 x 765 x 1200	675 x 765 x 1370	675 x 765 x 1550	675 x 765 x 1650
Payload	400 kg				
Weight	23 kg	25 kg	26 kg	28 kg	28,5 kg
Mesh	round bar: 5/6 x vertical (Ø 6 mm), 2 x horizontal (Ø 7,8 mm)		round bar: 5/6 x vertical (Ø 6 mm), 3 x horizontal (Ø 7,8 mm)		
Shelves	optionally available				
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing				
Surface	blue galvanized				

*Overall dimensions (W x D x H mm)



PREMIUM III 4.0

Our flagship **Premium III** is also available in 4-sided versions and adds a swivel-mounted front wall, the top of which can be folded down halfway. The advantages of the 3-sided version have also been adopted and enables a comfortable working day. This container can be complemented with accessories, such as our bumper wheels or a cover good that protects the container.

Features:

- same as Premium III 3.0 (page 12)
- 4-sided Premium III laundry container
- additionally with a foldable & swivel-mounted door
- expandable with four bumper wheels and cover hood



Also available with a steel or plastic bottom, as well as further accessories and castor sets.

	Premium III S 4.0 Wooden Bottom	Premium III M 4.0 Wooden Bottom	Premium III L 4.0 Wooden Bottom	Premium III XL 4.0 Wooden Bottom	Premium III XXL 4.0 Wooden Bottom
Article number	WPH47208101150 B00000	WPH47208101350 B00000	WPH47208101520 B00000	WPH47208101700 B00000	WPH47208101800 B00000
Composition	4-sided				
Overall dimensions* Total height with Ø 100 mm castors	720 x 810 x 1150	720 x 810 x 1350	720 x 810 x 1520	720 x 810 x 1700	720 x 810 x 1800
InnenDimension*	675 x 765 x 1000	675 x 765 x 1200	675 x 765 x 1370	675 x 765 x 1550	675 x 765 x 1650
Payload	400 kg				
Weight	29 kg	31 kg	33 kg	35 kg	36 kg
Mesh	round bar: 5/6 x vertical (Ø 6 mm), 2 x horizontal (Ø 7,8 mm)		round bar: 5/6 x vertical (Ø 6 mm), 2/3 x horizontal (Ø 7,8 mm)		
Shelves	optionally available				
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing				
Surface	blue galvanized				

*Overall dimensions (W x D x H mm)



BONN 4.2

Our **Bonn** offers a smart 2-in-1 system. Thanks to the foldable intermediate shelves the laundry container can be used both for the transport of dirty and clean laundry and therefore offers an optimal solution for both applications. The lower level is predefcted by a short front wall. The Bonn adds a useful value due to the supplied clothes rail.

Features:

- 4-sided Bonn laundry container
- 4 bumper wheels
- 2 fixed mounted & foldable intermediate shelves
- fixed mounted, short front wall
- 2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
- clothes rail



	Bonn 4.2 Steel Bottom
Article number	WS49405601740B2Z000
Composition	4-sided
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	940 x 560 x 1740
Internal dimensions (W x D x H mm)	900 x 520 x 1590
Payload	400 kg
Weight	45,2 kg
Mesh	round bar: 6/8 x vertical (Ø 6 mm), 1/4 x horizontal (Ø 7,8 mm)
Shelves	2 shelves included
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
Surface	blue galvanized



BONN 4.2 with drawbar and coupling system

This version of the **Bonn** expands the application of the already existing 2-in-1 system. In addition to the usual option of folding the intermediate shelves to a front wall, now this container also comes with a coupling and drawbar. This makes it possible to couple and pull a total of 3 container in a row. Therefore a larger amount of laundry can be transported over much longer distance. In addition, there is a metal sheet measuring 300x340 mm on the left side wall that can be painted with blackboard lacquer on request.

Features:

- incl. coupling & drawbar (to couple up to 3 containers)
- metal sheet measuring 300 x 400 mm
(blackboard lacquer on request)
- 4 bumper wheels
- 2 fixed mounted & foldable intermediate shelves
- fixed mounted, short front wall
- 2 swivel and 2 fixed castors Ø 125 mm TPE, ball bearing
- clothes rail



Also available with a plastic or wooden bottom, as well as further accessories and castor sets.

	Bonn 4.2 Steel Bottom with drawbar and coupling system
Article number	WS49405601765B2ZKD10
Composition	4-sided
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	940 x 560 x 1765
Internal dimensions (W x D x H mm)	900 x 520 x 1590
Payload	400 kg
Weight	48 kg
Mesh	round bar: 6/8 x vertical (Ø 6 mm), 1/4 x horizontal (Ø 7,8 mm)
Shelves	2 shelves included
Wheels	2 swivel and 2 fixed castors, Ø 125 mm, TPR, ball bearing
Surface	blue galvanized



BERN 3.2

The **Bern** is equipped with two permanently mounted intermediate shelves, which are foldable to the inside. Therefore it is possible to fill the container on all three levels, due to the wide front. By this smart 2-in-1 system transport is given for dirty and also clean laundry. In addition, the four bumper wheels create an ideal predection on walls or other rolltainer®. Through the additional use of plastic spacer castors the laundry container runs with reduced background noise. You will also receive a label board for a better assignment as well as a tread plate.

- Features:
- 4-sided Bonn laundry container
 - 4 bumper wheels
 - 2 fixed mounted & foldable intermediate shelves
 - fixed mounted, short front wall
 - 2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
 - clothes rail



Also available with a steel or wooden bottom, as well as further accessories and castor sets.

	Bern 3.2 Plastic Bottom
Article number	WWK38506301750B2Z000
Composition	3-sided
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	850 x 630 x 1750
Internal dimensions (W x D x H mm)	805 x 590 x 1600
Payload	500 kg
Weight	40 kg
Mesh	round bar: 5/6 x vertical (Ø 6 mm), 3/4 x horizontal (Ø 7,8 mm)
Shelves	2 shelves included
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
Surface	blue galvanized



BERN 3.2.2

In essence, the **Bern 3.2.2** remains unchanged compared to the Bern 3.2. The difference between these models can be found in the upper shelf, which can be folded back in this version. The lower shelf can still be folded forward to prevent the content from falling out. The advantage here is that it is easier to access the contents of the container, e. g. the clothes rail can be optimally used.

- Features:
- 3-sided container
 - 2 fixed mounted & foldable intermediate shelves included, the upper shelf can be folded to the rear wall
 - 2 swivel and 2 fixed castors, Ø 100 mm, TPE, ball bearing
 - payload up to 500 kg
 - 4 bumper wheels
 - label board
 - tread plate
 - smart 2-in-1 system



Also available with a plastic or wooden bottom, as well as further accessories and castor sets.

	Bern 3.2.2 Steel Bottom
Article number	WWS38506301750B2Z200
Composition	3-sided
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	850 x 630 x 1750
Internal dimensions (W x D x H mm)	805 x 590 x 1600
Payload	500 kg
Weight	40 kg
Mesh	round bar: 5/6 x vertical (Ø 6 mm), 3/4 x horizontal (Ø 7,8 mm)
Shelves	2 shelves included, the upper shelf can be folded to the rear wall
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
Surface	blue galvanized



SULINGEN 3.2

With a base of 825 x 738 mm our laundry container **Sulingen 3.2** is ideal for your business. Two integrated intermediate shelves make it possible to transport clean laundry to its destination in an organized manner. If required, you can fold the intermediate shelves back and get plenty of space for e.g. dirty laundry.

Features:

- 3-sided laundry container
- 2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
- 2 foldable intermediate shelves included
- plastic, steel or wooden bottom
- color: blue galvanized



More accessories and
castor sets available.

	Sulingen 3.2 Steel Bottom	Sulingen 3.2 Plastic Bottom	Sulingen 3.2 Wooden Bottom
Article number	WSS38257371710B2Z000	WSK38257371710B2Z000	WSH38257371710B2Z000
Composition	3-sided		
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	825 x 738 x 1710 mm		
Internal dimensions (W x D x H mm)	755 x 685 x 1550 mm		
Payload	500 kg		
Weight	43 kg	43,5 kg	43,8 kg
Mesh	round bar: 8 x vertical (Ø 6 mm), oval tube: 3 x horizontal (Ø 15 mm)		
Shelves	2 shelves included		
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing		
Surface	blue galvanized		



WEIMAR 4.2

Our laundry container **Weimar 4.2** comes with two integrated intermediate shelves and a clothes rail. A small fixed front panel offers basic protection against goods falling out. This protective edge can be conveniently extended by folding the first intermediate shelf forwards. To ease the loading or to enable the transport of dresses, the second intermediate shelf can be folded back so that the clothes rail can be used.

Features:

- 4-sided laundry container
- 2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
- 2 foldable intermediate shelves included
- plastic, steel or wooden bottom
- color: blue galvanized



More accessories and
castor sets available.

	Weimar 4.2 Steel Bottom	Weimar 4.2 Plastic Bottom	Weimar 4.2 Wooden Bottom
Article number	WWS48756751738B2Z000	WWK48756751738B2Z000	WWH48756751738B2Z000
Composition	4-sided		
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	875 x 675 x 1710 mm		
Internal dimensions (W x D x H mm)	760 x 625 x 1550 mm		
Payload	500 kg		
Weight	47 kg	47,5 kg	47,8 kg
Mesh	round bar: 7/9 x vertical (Ø 6 mm), oval tube: 3/4 x horizontal (Ø 15 mm)		
Shelves	2 shelves included		
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing		
Surface	blue galvanized		



BASIC I

The **Basic I** is available as a 3- or 4-sided version. The basic model, which exists in two different heights, offers the most important basic functions for your company. The small base plate allows an excellent navigation even in narrow aisles and is also available with a steel or plastic bottom. Of course the laundry container can be expanded with matching accessories.


Features:

- 3- or 4-sided Basic I laundry container
- available in the heights 1520 and 1730 mm
- 2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
- foldable & swivel-mounted door (4-sided)
- wooden bottom



Also available with a steel or plastic bottom, as well as further accessories and castor sets.

	Basic I M 3.0 Wooden Bottom	Basic I L 3.0 Wooden Bottom	Basic I M 4.0 Wooden Bottom	Basic I L 4.0 Wooden Bottom
Article number	WBH36007201520 B00000	WBH36007201730 B00000	WBH46007201520 B00000	WBH46007201730 B00000
Composition	3-sided		4-sided	
Overall dimensions (B x T x H mm)	600 x 720 x 1520	600 x 720 x 1730	600 x 720 x 1520	600 x 720 x 1730
Total height with Ø 100 mm castors				
Internal dimensions (W x D x H mm)	555 x 675 x 1370	555 x 675 x 1580	555 x 675 x 1370	555 x 675 x 1580
Payload	400 kg			
Weight	26,5 kg	29 kg	31 kg	34 kg
Mesh	Round bar: 4 x vertical (Ø 6 mm), 2 x horizontal (Ø 7,8 mm)			
Shelves	optionally available			
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing			
Surface	blue galvanized			



LANDSBERG XXL 5.0

Do you need a 5-sided container? Then our laundry container **Landsberg XXL 5.0** is a good choice. The tightly meshed panels prevent the clothes from falling out. The flap in the front panel is used for loading. The high-quality castors offer a high level of comfort on many floors.


Features:

- 5-sided laundry container
- 2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
- plastic, steel or wooden bottom
- made of square tube
- secure storage due to 50 x 50 mm mesh
- color: blue galvanized



More accessories and castor sets available.

	Landsberg XXL 5.0 Steel Bottom	Landsberg XXL 5.0 Plastic Bottom	Landsberg XXL 5.0 Wooden Bottom
Article number	WAS57008001840B00000	WAK57008001840B00000	WAH57008001840B00000
Composition	5-sided		
Overall dimensions, W x D x H mm	710 x 810 x 1860 mm		
Total height with Ø 100 mm castors			
Internal dimensions (W x D x H mm)	660 x 760 x 1660 mm		
Payload	500 kg		
Weight	52 kg	52,5 kg	52,8 kg
Mesh	wire infill 50 x 50 mm, Ø 3,8 mm		
Shelves	not available		
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing		
Surface	blue galvanized		




AUSTRIA XL 4.0

Our laundry container **Austria XL 4.0** is an exception among our containers thanks to its yellow galvanizing. With its fixed mounted front panel and the tightly meshed grating, it guarantees safe transportation of the laundry to the desired destination. Optionally you can receive our laundry container with a plastic or wooden bottom.

Features:

- 4-sided laundry container
- 2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
- plastic or wooden bottom
- color: yellow galvanized



More accessories and
castor sets available.

	Austria XL 4.0 Plastic Bottom	Austria XL 4.0 Wooden Bottom
Article number	WGK45608001700B00000	WGH45608001700B00000
Composition	4-sided	
Overall dimensions, W x D x H mm Total height with Ø 125 mm castors	560 x 810 x 1710 mm	
Internal dimensions (W x D x H mm)	495 x 750 x 1540 mm	
Payload	400 kg	
Weight	38 kg	38,5 kg
Mesh	wire infill 50 x 50 mm, Ø 3,8 mm	
Shelves	not available	
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing	
Surface	yellow galvanized	



WUPPERTAL 3.3

Robust, practical and flexible – that is our **Wuppertal 3.3** laundry container. The three fixed intermediate shelves can be folded forwards and - when folded - turn the 3-sided laundry container with 3 intermediate shelves into a 4-sided laundry container without intermediate shelves. This allows you to transport clean or dirty laundry flexibly and conveniently. The Wuppertal 3.3 is also equipped with a clothes rail.

Features:

- 3- sided laundry container
- 2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
- 3 foldable intermediate shelves included
- color: blue galvanized



More accessories and
castor sets available.

	Wuppertal 3.3 Steel Bottom
Article number	RWS311905101600B00000
Composition	3-sided
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	1185 x 503 x 1646 mm
Internal dimensions (W x D x H mm)	1140 x 478 x 1430 mm
Payload	400 kg
Weight	46,2 kg
Mesh	round bar: 8 x vertical (Ø 6 mm), 3 x horizontal (Ø 7,8 mm)
Shelves	3 shelves included
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
Surface	blue galvanized



BREMEN 4.0

Due to its two-part front, the **Bremen** is 4-sided and enables the upper half to be folded. Even when closed, the container can be filled very comfortably due to the shortened front. with a base plate of 850 x 630 mm sufficient capacity is provided. The build-in bumper wheels protect walls as well as other rolltainer®. Additionally the bumper wheels lead to an increased service life of the laundry bags.

- Features:
- 4-sided laundry container
 - 2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
 - foldable door
 - closed PVC bottom
 - color: blue galvanized



Also available with a steel or wooden bottom, as well as further accessories and castor sets.

	Bremen 4.0 Plastic Bottom
Article number	WSK48506301750B00000
Composition	4-sided
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	850 x 630 x 1750
Internal dimensions (W x D x H mm)	805 x 590 x 1600
Payload	500 kg
Weight	42,8 kg
Mesh	round bar: 7/9 x vertical (Ø 6 mm), 3/4 x horizontal (Ø 7,8 mm)
Shelves	not available
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, TPR, ball bearing
Surface	blue galvanized



HALLE XXL 4.0

Our largest laundry container, **Halle XXL**, has a huge amount of space and a load capacity of up to 600 kg. Our container Halle XXL comes with a foldable and swivelmounted door and can be extended with intermediate shelves which you can easily position to your needs due to the tight mesh of the container.

- Features:
- 4-sided laundry container
 - 2 swivel and 2 swivel castors with brakes, Ø 125 mm, elastic (grey), ball bearing
 - up to 600 kg load capacity
 - foldable & swivel-mounted door
 - possible intermediate shelves implementable individually
 - stable construction



More accessories and castor sets available.

	Halle XXL 4.0 Steel Bottom
Article number	S48001200FC053
Composition	4-sided
Overall dimensions, W x D x H mm Total height with Ø 125 mm castors	1200 x 800 x 1820
Internal dimensions (W x D x H mm)	1150 x 750 x 1605
Payload	600 kg
Weight	66,3 kg
Mesh	wire infill 50 x 50 mm, Ø 4 mm
Shelves	optionally available
Wheels	2 swivel and 2 swivel castors with brakes, Ø 125 mm, elastic (grey), ball bearing
Surface	blue galvanized



BERLIN 3.0

A light and versatile laundry container, that’s our 3-sided **Berlin**. The height of 1800 mm is achieved with a Ø 20 mm round tube supported in the structure. This offers stability and plenty of space for the most divers possible applications. The Berlin is assembled quickly and easy to use. This system is rounded off with non-marking elastic castors. You are also looking for suitable accessories, please contact us. Together we will find the right solution for your company.

Features:

- 3-sided laundry container
- 2 swivel and 2 fixed castors, Ø 100 mm, elastic (grey), ball bearing
- up to 400 kg load capacity
- easy handling
- usabel height: 1650 mm
- color: blue galvanized



More accessories and
castor sets available.

	Berlin 3.0 Steel Bottom
Article number	S3600800CC051
Composition	3-sided
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	600 x 800 x 1800
Internal dimensions (W x D x H mm)	560 x 770 x 1650
Payload	400 kg
Weight	25 kg
Mesh	round bar: 4 x vertical (Ø 6 mm), 3 x horizontal (Ø 6 mm)
Shelves	not available
Wheels	2 swivel and 2 fixed castors, Ø 100 mm, elastic (grey), ball bearing
Surface	blue galvanized



DRESDEN 3.3

Our **Dresden** laundry container can easily be equipped with six intermediate shelves. The three shelves included in the scope of delivery have an upstand for load securing. Here you can decide whether you want the version with or without a 20° angle of the horizontal flat iron. The four swivel castors - two of them with brakes - allows good handling even with a full load.

Features:

- 3-sided laundry container
- 2 swivel and 2 swivel castors with brakes, Ø 108 mm, polypropylene, ball bearing
- 3 intermediate shelves with upstand (up to 6 possible)
- with or without 20° angle
- recyclable plastic bottom



More accessories and
castor sets available.

	Dresden 3.3 (20°) Plastic Bottom	Dresden 3.3 Plastic Bottom
Article number	KRR3A50101600C104	KRR3A50101600C204
Composition	3-sided	
Overall dimensions, W x D x H mm Total height with Ø 108 mm castors	815 x 724 x 1800	
Internal dimensions (W x D x H mm)	750 x 680 x 1600	
Payload	500 kg	
Weight	52,2 kg	
Mesh	flat steel bar: 6 x vertical, 6 x horizontal (15 x 3 mm)	
Shelves	3 shelves included (with 20° tilt)	3 shelves included (without tilt)
Wheels	2 swivel and 2 swivel castors with brakes, Ø 108 mm, polypropylene, ball bearing	
Surface	blue galvanized	



FRANKFURT L

Our Frankfurt L laundry container is with 2- to 4-sides available and has a height of 1660 mm. The swivelmounted and foldable door allows a comfortable handling and makes work easier (4-sided). In addition, the Frankfurt L container scores with an easy and quick assembly / disassembly. The matching plastic bottom is made of high quality HDPE material and is 100% recyclable. Additionally a individual color (RAL) and/ or embossing is possible.

Features:

- 2-, 3-, or 4-sided laundry container
- 2 swivel and 2 fixed castors, Ø 108 mm, polypropylene, ball bearing
- swivel-mounted & foldable door (4-sided)
- recyclable plastic bottom



Two different door types available.

	Frankfurt L 2.0 Plastic Bottom	Frankfurt L 3.0 Plastic Bottom	Frankfurt L 4.0 Plastic Bottom	Frankfurt L 4.0.1 Plastic Bottom
Article number	KB2A50101460 CS03101	KB3A50101460 CS03101	KB4A50101460 CS03101	KB4A50101460 CS03301
Composition	2-sided	3-sided	4-sided	
Overall dimensions, W x D x H mm Total height with Ø 108 mm castors	724 x 815 x 1660			
Internal dimensions (W x D x H mm)	660 x 800 x 1450	660 x 775 x 1450	660 x 750 x 1450	
Payload	500 kg			
Weight	22 kg	28 kg	37 kg	37 kg
Mesh	flat steel bar: 4 x vertical, 4 x horizontal (12 x 3 mm)			
Shelves	optionally available			
Wheels	2 swivel and 2 fixed castors, Ø 108 mm, polypropylene, ball bearing			
Surface	blue galvanized			



FRANKFURT XL

The higher version, the Frankfurt XL, has a height of 1850 mm and comes with the same advantages as its L-version. Also you can choose between a 1- or 2-part front wall. The standard base plate is available in dark blue, but green, grey or red are possible as well. At the same time, the base plate for the Frankfurt laundry container is also available as closed/ smoother bottom version. Please contact us for further variations.

Features:

- same as Frankfurt L (page 28)
- 2 half front walls, individually swivelling & foldable
- maximum usable height: 1640 mm



2-part front wall also available as foldable version.


	Frankfurt XL 2.0 Plastic Bottom	Frankfurt XL 3.0 Plastic Bottom	Frankfurt XL 4.0.1 Plastic Bottom	Frankfurt XL 4.0.2 Plastic Bottom
Article number	KB2A50101650 CS04101	KB3A50101650 CS04101	KB4A50101650 CS04301	KB4A50101650 CS04201
Composition	2-sided	3-sided	4-sided	
Overall dimensions, W x D x H mm Total height with Ø 108 mm castors	724 x 815 x 1850			
Internal dimensions (W x D x H mm)	660 x 800 x 1640	660 x 775 x 1640	660 x 750 x 1640	
Payload	500 kg			
Weight	22,5 kg	28,4 kg	37 kg	37,9 kg
Mesh	flat steel bar: 4 x vertical, 5 x horizontal (12 x 3 mm)			
Shelves	optionally available			
Wheels	2 swivel and 2 fixed castors, Ø 108 mm, polypropylene, ball bearing			
Surface	blue galvanized			



DUISBURG I

with the classic **Duisburg I** spring bottom trolley, made of anodized aluminium, you can do your laundry transport optimally. The low weight and the four swivel castors support flexibility when working. The immediate reaction of the spring bottom to a change in weight additionally underlines back-friendly work.

- Features:
- constant loading and unloading height
 - anodizing preprotects against abrasion and corrosion
 - stable edge profiles on the top and bottom of the trolley
 - 4 swivel castors, Ø 125 mm



Optimal price-performance ratio.

	Duisburg I S D	Duisburg I M D
Article number	FBWAECD1408180D00	FBWAECD1408350D00
Overall dimensions, W x D x H mm Total height with Ø 125 mm castors	845 x 540 x 760	1105 x 680 x 855
Internal dimensions (W x D x H mm)	740 x 510 x 485	1000 x 650 x 580
Payload	100 kg	
Weight	26 kg	33 kg
Volume	180 liter	380 liter
Spring force	25 kg	
Wheels	4 swivel castors, Ø 125 mm, TPR, ball bearing, optional: 2 with total brake	
Configuration of wheels	2 + 2	


DUISBURG II



The **Duisburg II** takes over the advantages of the classic Duisburg I and is expanded through further flexibility. The spring force can be adjusted according to your own needs. The smooth side walls reduce the friction of the load and thus favor the immediate reaction of the spring bottom noticeable. Further options such as changing the castors of the chassis are possible additionally.

Features:

- anodized aluminium
- no tilting with one-sided loading
- elastic PVC bumper on the upper edge of the trolley
- stable chassis carrier made of galvanized steel
- 3 different castors arrangements, TPR, ball bearing



Swivel castors with or without brakes possible.

	Duisburg II M A	Duisburg II M B	Duisburg II M D
Article number	FBWAEVD1408350A00	FBWAEVD1408350B00	FBWAEVD1408350D00
Overall dimensions, W x D x H mm Total height with Ø 125 mm castors	1115 x 690 x 855		
Internal dimensions (W x D x H mm)	1000 x 650 x 580		
Payload	130 kg		
Weight	44 kg		42 kg
Volume	380 liter		
Spring force	50 kg	70 kg	25 kg
Wheels	2 swivel and 2 fixed castors, Ø 125 mm, diamond-shaped	2 swivel castors with total brake and 2 fixed castors, Ø 125 mm	4 swivel castors, Ø 125 mm, TPR, ball bearing
Configuration of wheels	1 + 2 + 1	2 + 2	2 + 2


DUISBURG III



The **Duisburg III** is the larger spring bottom trolley in this series with a capacity of 615 liters and an external dimension of 1515 x 740 x 905 mm. While the Duisburg III L B is available non-anodized, the Duisburg III L A comes along anodized. The termoplastic rubber treads allow you to move the trolley around without any trace.

Features:

- non-anodized & anodized aluminium
- easy adjustment of the spring force
- chassis modification possible
- 2 different castors arrangements



Duisburg III L B is not anodized.

Items inside the products are not included.

	Duisburg III L A	Duisburg III L B
Article number	FBWAEVD5408580A00	FBWAVD5408580B00
Overall dimensions, W x D x H mm Total height with Ø 125 mm castors	1515 x 740 x 905	1515 x 740 x 835
Internal dimensions (W x D x H mm)	1400 x 700 x 620	
Payload	100 kg	
Weight	51 kg	55 kg
Volume	615 liter	
Spring force	50 kg	70 kg
Wheels	2 swivel and 2 fixed castors, Ø 125 mm, TPR, ball bearing, diamond-shaped	2 swivel castors with total brake and 2 fixed castors, Ø 125 mm, TPR, ball bearing
Configuration of wheels	1 + 2 + 1	2 + 2




*Lid optional

ROSTOCK

with our versatile aluminium transport trolley **Rostock** you use the maximum transport capacity with the least possible own weight. The Rostock simplifies the transport of your goods in the company perfectly and is available in four different sizes. In addition, a matching lid or another castor arrangement can be selected.

Features:

- generally usable
- very solid with low weight
- scratch-resistant surface
- available in 4 volume sizes
- different castor arrangements possible, TPR, ball bearing



Also available with lid.

	Rostock S B	Rostock M B	Rostock L B	Rostock XL B
Article number	TWAD3008330B00	TWAD3008415B00	TWAD3008570B00	TWAD3008656B00
Overall dimensions, W x D x H mm (Total height with Ø 100/125 mm castors)	990 x 580 x 770	1030 x 670 x 835	1280 x 680 x 870	1280 x 730 x 935
Internal dimensions (W x D x H mm)	960 x 550 x 610	1000 x 640 x 650	1250 x 650 x 685	1250 x 700 x 750
Payload	200 kg		250 kg	
Weight	18,5 kg	22 kg	25 kg	26,5 kg
Volume	322 liter	415 liter	560 liter	656 liter
Lid	optionally available			
Wheels	2 swivel castors with total brake and 2 fixed castors, Ø 100 mm	2 swivel castors with total brake and 2 fixed castors, Ø 125 mm		
Configuration of wheels	2 + 2			




*Lid optional

CHEMNITZ

The **Chemnitz** is a very stable transport trolley made of aluminium, which offers one longitudinal wall that can be folded down halfway. While the walls are stiffened by surrounding beads, the upper and lower edge of the trolley will be reinforced by all-round aluminium profiles. Through the combination of stability and flexibility your work will be made easier in general.

Features:

- one longitudinal wall can be folded down halfway
- reinforced walls with trapezoidal beads
- 2 volume sizes available
- castor arrangement: 2 + 2



Cylinder lock optionally available.

Items inside the products are not included.


	Chemnitz M	Chemnitz M (with Lid)	Chemnitz L	Chemnitz L (with Lid)
Article number	TWAD3508360B00	TWAD3508360B01	TWAD35081050B00	TWAD35081050B01
Overall dimensions, W x D x H mm (Total height with Ø 125/160 mm castors)	930 x 530 x 985	960 x 555 x 990	1280 x 730 x 1430	1310 x 755 x 1435
Internal dimensions (W x D x H mm)	900 x 500 x 800		1250 x 700 x 1200	
Payload	250 kg		300 kg	
Weight	22,5 kg	25,5 kg	40 kg	46 kg
Volume	355 liter		1050 liter	
Lid	optionally available	enthalten	optionally available	enthalten
Wheels	2 swivel castors with total brake and 2 fixed castors, Ø 125 mm, TPR, ball bearing		2 swivel castors with total brake and 2 fixed castors, Ø 160 mm, TPR, ball bearing	
Configuration of wheels	2 + 2			



LUBECK

This extremely stable aluminium transport trolley is ideal for easy loading and unloading due to its longitudinal wall, that can be lowered down to the half. Especially with large volume cargo, such as laundry and rubbish bags. At the same time, **Lubeck** helps optimal in tight space conditions. The optional hinged lid is secured with two lever latches.

- Features:
- one longitudinal wall can be lowered down to the half
 - long wall and front are without beads
 - 2 volume sizes available
 - castor arrangement: 2 + 2



Push handle optionally available.


	Lubeck M	Lubeck M (with Lid)	Lubeck L	Lubeck L (with Lid)
Article number	TWAD3708360B00	TWAD3708360B01	TWAD3708650B00	TWAD3708650B01
Overall dimensions, W x D x H mm (Total height with Ø 125 mm castors)	930 x 525 x 985	960 x 550 x 990	1280 x 675 x 985	1310 x 700 x 990
Internal dimensions (W x D x H mm)	900 x 495 x 800		1250 x 645 x 800	
Payload	250 kg			
Weight	24 kg	27 kg	31 kg	37 kg
Volume	355 liter		650 liter	
Lid	optionally available	included	optionally available	included
Wheels	2 swivel castors with total brake and 2 fixed castors, Ø 125 mm, TPR, ball bearing			
Configuration of wheels	2 + 2			



AACHEN

The **Aachen** comes with a 250 mm high wall cutout and is therefore ideal for easy loading and unloading, especially with larger goods. The anodized push handles on both side walls simplify handling and movements in your company. Contact us for more options.


- Features:
- long wall cut-out of 1130 x 250 mm
 - push handles are anodized
 - ergonomic work through simple loading and unloading
 - castor arrangement: 2 + 2



Push handles enable easy handling.

Items inside the products are not included.

	Aachen
Article number	TWAD3808945B00
Overall dimensions, W x D x H mm (Total height with Ø 200 mm castors)	1680 x 930 x 970
Internal dimensions (W x D x H mm)	1500 x 900 x 700
Payload	300 kg
Weight	44 kg
Volume	945 liter
Lid	not available
Wheels	2 swivel castors with total brake and 2 fixed castors, Ø 200 mm, TPR, ball bearing
Configuration of wheels	2 + 2



LEIPZIG

Our rolltainer® Leipzig was specially designed for the transport of standard boxes 600 x 400 mm. Thanks to the close mesh the intermediate shelves can be used flexible. Therefore the container offers a high flexibility. The intermediate shelves are available with and without upstand and ensure the first load securing.


Features:

- 3-, 4- or 5-sided rolltainer®
- 2 swivel castors and 2 swivel castors with brakes, Ø 100 mm, ball bearing, TPR tread
- up to 300 kg load capacity
- swivel-mounted door (4-5-sided)
- optional intermediate shelves with / without upstand individually applicable
- stable construction



Available from 3 to 5 sides, intermediate shelves with/without upstand.

	Leipzig 3.0 Steel Bottom	Leipzig 4.0 Steel Bottom	Leipzig 5.0 Steel Bottom
Article number	S3460640FC057	S4460640FC057	S5460640FC057
Composition	3-sided	4-sided	5-sided
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	460 x 640 x 1832	460 x 640 x 1855	460 x 640 x 1855
Internal dimensions (W x D x H mm)	420 x 620 x 1645		420 x 620 x 1645
Payload	300 kg		
Weight	34,9 kg	36 kg	39,75 kg
Mesh	wire infill 50 x 50 mm, Ø 4 mm		
Shelves	optionally available, also with / without upstand		
Wheels	2 swivel and 2 swivel castors with total brake, Ø 100 mm, rim of polypropylene, ball bearing, TPR tread		
Surface	blue galvanized		



MUNICH

Our **Munich** rolltainer® is available in two versions, 2-sided with stability bar or 3-sided with back wall. Smooth running features, intermediate shelves with an upstand of 20 mm or 100 mm for the first load securing and the stable design distinguish the rolltainer®. Fit the rolltainer® to your needs, we offer you the right accessories.

Features:

- 2- or 3-sided rolltainer®
- 2 swivel castors and 2 swivel castors with brakes, Ø 100 mm elastic (grey), ball bearing
- intermediate shelves with 100 mm upstand (20 mm also possible)
- steel bottom 600 x 600 mm



Intermediate shelves available with 20 or 100 mm upstand.

	Munich 2.4 Steel Bottom	Munich 3.4 Steel Bottom
Article number	S2600600FC4Z158	S3600600FC4Z158
Composition	2-sided	3-sided
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	600 x 600 x 1670	600 x 600 x 1650
Internal dimensions (W x D x H mm)	560 x 600 x 1465	560 x 580 x 1465
Payload	500 kg	
Weight	38 kg	48 kg
Mesh	wire infill 50 x 100 mm, Ø 4 mm	
Shelves	4 shelves with 100 mm upstand included	
Wheels	2 swivel and 2 swivel castors with total brake, Ø 100 mm, elastic (grey), ball bearing	
Surface	blue galvanized	



COLOGNE 3.0

Our **Cologne** rolltainer® was specially designed for the transport of plastic boxes in the dimensions 600 x 400 and 600 x 800 mm and is available in two different heights. With the help of our optionally available intermediate shelves you can add additional levels and organize your goods optimally. We offer you other accessories, such as textile straps for load securing.

Features:

- 3-sided rolltainer®
- 2 swivel and 2 fixed castors, Ø 108 mm, polypropylene
- recyclable plastic bottom made of high quality HDPE material in 682 x 815 mm
- up to 4 intermediate shelves possible (Cologne L 3.0)
- up to 5 intermediate shelves possible (Cologne XL 3.0)
- color: blue galvanized



Optional intermediate shelves and more accessories available.

Items inside the products are not included.

	Cologne L 3.0 Plastic Bottom	Cologne XL 3.0 Plastic Bottom
Article number	KB3B50101460CS03101	KB3B50101650CS04101
Composition	3-sided	
Overall dimensions, W x D x H mm Total height with Ø 108 mm castors	682 x 815 x 1660	682 x 815 x 1850
Internal dimensions (W x D x H mm)	640 x 800 x 1450	640 x 775 x 1640
Payload	500 kg	
Weight	28 kg	29,5 kg
Mesh	flat steel bar 12 x 3 mm	
Shelves	optionally available	
Wheels	2 swivel and 2 fixed castors, Ø 108 mm, polypropylene, ball bearing	
Surface	blue galvanized	



KIEL

Our anti-theft container **Kiel** is designed for the safe transport of Euronorm boxes. The tight wire infill and the lockable door (lock not included) offer direct pretection against unauthorized access and secure your goods reliably. At the same time you can add intermediate shelves every 50 mm. With additional accessories or another castor set you can customize the rolltainer® to your needs.

Features:

- 3-, 4- or 5-sided wire mesh container
- 2 swivel and 2 fixed castors, Ø 108 mm, polypropylene
- swivel-mounted and lockable door (4- and 5-sided)
- intermediate shelves adjustable every 50 mm
- recyclable plastic bottom in 682 x 820 mm
- especially for euronorm boxes
- color: blue galvanized



Optional intermediate shelves and more accessories available.

Items inside the products are not included.

	Kiel 3.0 Plastic Bottom	Kiel 4.0 Plastic Bottom	Kiel 5.0 Plastic Bottom
Article number	KAD3B50101600COZ101	KAD4B50101600COZ101	KAD5B50101600COZ101
Composition	3-sided	4-sided	5-sided
Overall dimensions, W x D x H mm Total height with Ø 108 mm castors	682 x 870 x 1800		
Internal dimensions (W x D x H mm)	620 x 825 x 1610	620 x 825 x 1610	620 x 800 x 1585
Payload	500 kg		
Weight	34 kg	43 kg	46 kg
Mesh	wire infill 50 x 50 mm, Ø 4 mm		
Shelves	optionally available		
Wheels	2 swivel and 2 fixed castors, Ø 108 mm, polypropylene, ball bearing		
Surface	blue galvanized		



HAMBURG

We offer our anti-theft container **Hamburg** in different versions. With the 50 x 50 mm infill you do not only preduct your goods from external access, you also can position the additional intermediate shelves in a very variable way. The Hamburg is available with a 1- and 2-part front wall that can be locked (lock not included). You also can get a 3 or 4-sided container.

Features:

- 3-, 4- or 5-sided rolltainer®
- 2 swivel and 2 fixed castors, Ø 108 mm, polypropylene
- swivel-mounted and lockable door (4- and 5-sided)
- recyclable plastic bottom in 724 x 815 mm
- color: blue galvanized



Hamburg available with wing- and foldable door.

	Hamburg 3.0 Plastic Bottom	Hamburg 4.0 Plastic Bottom	Hamburg 5.0 Plastic Bottom	Hamburg 5.1.2 Plastic Bottom
Article number	KAD3A50101600 COZ101	KAD4A50101600 COZ101	KAD5A50101600 COZ101	KAD5A50101600 C1Z201
Composition	3-sided	4-sided	5-sided	
Overall dimensions, W x D x H mm Total height with Ø 108 mm castors	724 x 815 x 1800			
Internal dimensions (W x D x H mm)	660 x 775 x 1600	660 x 750 x 1600		
Payload	500 kg			
Weight	37,5 kg	43 kg	48 kg	52 kg
Mesh	wire infill 50 x 50 mm, Ø 4 mm			
Shelves	optionally available			1 shelf included
Wheels	2 swivel and 2 fixed castors, Ø 108 mm, polypropylene, ball bearing			
Surface	blue galvanized			



MUNSTER

Our **Munster** rolltainer® offers you a lot of space to store your goods safely. The Munster is available as a 2- to 5-sided rolltainer®. The optionally available intermediate shelves are available with or without upstand and can be positioned at an angle. This container is ideal to transport your goods and to present to your customers at the same time. Further adjustments are possible on request.

Features:

- 2-, 3-, 4- or 5-sided rolltainer®
- 2 swivel castors and 2 swivel castors with brakes, Ø 125 mm, elastic (grey), ball bearing
- swivel-mounted wing-door
- steel bottom 1200 x 800 mm



Further adjustments
are possible on request,
please contact us!

	Munster 2.0 Steel Bottom	Munster 3.0 Steel Bottom	Munster 4.0 Steel Bottom	Munster 5.0 Steel Bottom
Article number	S28001200FC053	S38001200FC053	S48001200FC153	S58001200FC053
Composition	2-sided	3-sided	4-sided	5-sided
Overall dimensions, W x D x H mm Total height with Ø 125 mm castors	1200 x 800 x 1820			
Internal dimensions (W x D x H mm)	1150 x 790 x 1605	1150 x 775 x 1605	1150 x 750 x 1605	1150 x 750 x 1575
Payload	600 kg			
Weight	43,3 kg	50,8 kg	66,3 kg	73 kg
Mesh	wire infill 50 x 50 mm, Ø 4 mm			
Shelves	optionally available			
Wheels	2 swivel and 2 swivel castors with total brake, Ø 125 mm, elastic (grey), ball bearing			
Surface	blue galvanized			



MAINZ

Our **Mainz** rolltainer® is one of our largest rolltainer® and is great for the transport of your goods on euro pallets. It offers a possible payload of up to 800 kg. Optionally you can also equip the rolltainer® with intermediate shelves to divide it into levels. The rolltainer® is available in 3-, 4- or 5-sided versions.

Features:

- 3-, 4- or 5-sided rolltainer®
- 2 swivel castors and 2 swivel castors with brakes, Ø 125 mm, elastic (grey), ball bearing
- swivel-mounted wing-door (4- and 5-sided)
- steel bottom 1350 x 950 mm



Suitable for
euro pallets!

Items inside the products are not included.

	Mainz 3.0 Steel Bottom	Mainz 4.0 Steel Bottom	Mainz 5.0 Steel Bottom
Article number	S39501350FC059	S49501350FC159	S59501350FC059
Composition	3-sided	4-sided	5-sided
Overall dimensions, W x D x H mm Total height with Ø 125 mm castors	1350 x 950 x 1820		
Internal dimensions (W x D x H mm)	1298 x 920 x 1605	1298 x 887 x 1605	
Payload	800 kg		
Weight	68,6 kg	85 kg	94,2 kg
Mesh	wire infill 50 x 50 mm, Ø 4 mm		
Shelves	optionally available		
Wheels	2 swivel and 2 swivel castors with total brake, Ø 125 mm, elastic (grey), ball bearing		
Surface	blue galvanized		



ESSEN

Our nestainer® Essen is available in three versions from 2- to 4-sides. The bottom has an innovative spring technology and can be folded to the side. The rolltainer® is nestable and therefore guarantees an optimal transport of empties. This does not only save important storage space but also allows the transport of a larger amount of container (when empty).

- Features:
- 2-, 3-, or 4-sided nestainer®
 - 2 swivel and 2 fixed castors, Ø 108 mm, polyamide, ball bearing
 - spring technology in the bottom
 - steel bottom 700 x 800 mm
 - color: blue galvanized



Nestainer® save storage and transport costs!

	Essen 2.0 Steel Bottom	Essen 3.0 Steel Bottom	Essen 4.0 Steel Bottom
Article number	N2700800CC0Z019	N3700800CC0Z019	N4700800CC0Z019
Composition	2-sided	3-sided	4-sided
Overall dimensions, W x D x H mm Total height with Ø 108 mm castors	700 x 800 x 1665		
Internal dimensions (W x D x H mm)	655 x 800 x 1465	655 x 770 x 1465	655 x 740 x 1465
Payload	500 kg		
Weight	29,9 kg	36,1 kg	42,3 kg
Mesh	flat steel bar 12 x 3 mm		
Shelves	optionally available		
Wheels	2 swivel and 2 fixed castors, Ø 108 mm, polyamide, ball bearing		
Surface	blue galvanized		



JENA

Our nestainer® Jena offers you plenty of space for your goods and a space-saving return in empty state. The plastic bottom of the container is foldable to the back using a spring mechanism. The smooth running elastic castor set offers increased comfort and a locking function to prevent unintentional movement of the container.

Features:

- 3- or 4-sided nestainer®
- 2 swivel castors with brakes and 2 fixed castors, Ø 125 mm, tread with elastic (grey), ball bearing
- swivel-mounted door (4-sided)
- 1 foldable intermediate shelf (also available without)
- recyclable plastic bottom



Also available with a steel bottom.

	Jena 3.1 Plastic Bottom	Jena 4.1 Plastic Bottom
Article number	N3A1450KC1Z246	N4A1450KC1Z246
Composition	3-sided	4-sided
Overall dimensions, W x D x H mm Total height with Ø 125 mm castors	729 x 818 x 1660	
Internal dimensions (W x D x H mm)	673 x 794 x 1428	673 x 769 x 1428
Payload	500 kg	
Weight	47,2 kg	53,8 kg
Mesh	wire sticks Ø 6 mm	
Shelves	1 shelf included	
Wheels	2 swivel castors with total brake and 2 fixed castors, Ø 125 mm, rim made of polyamide, tread made of elastic (grey), ball bearing	
Surface	blue galvanized	



HANOVER

Our nestainer® Hanover is available to you as a 3- or 4-sided container. The intermediate plastic shelf which is equipped in the basic version divides the container into two levels and can be folded down, so you can organize your goods optimally. Alternatively you can add another intermediate shelf each in the lower and upper third. The smooth-running set of castors increase the comfort.

Features:

- 3- or 4-sided nestainer®
- 2 swivel castors with brakes and 2 fixed castors, Ø 125 mm, tread with elastic (grey), ball bearing
- up to 2 foldable intermediate shelves
- recyclable plastic bottom



Nestainer® with smooth-running brand castors.

	Hannover 3.1 Plastic Bottom	Hannover 3.2 Plastic Bottom	Hannover 4.1 Plastic Bottom	Hannover 4.2 Plastic Bottom
Article number	N3A1550KC1Z546	N3A1550KC2Z646	N4A1550KC1Z546	N4A1550KC2Z646
Composition	3-sided		4-sided	
Overall dimensions, W x D x H mm Total height with Ø 125 mm castors	729 x 818 x 1770			
Internal dimensions (W x D x H mm)	729 x 818 x 1770		673 x 769 x 1538	
Payload	500 kg			
Weight	53,4 kg	57,1 kg	59,6 kg	64 kg
Mesh	wire sticks Ø 6 mm			
Shelves	1 shelf included	2 shelves included	1 shelf included	2 shelves included
Wheels	2 swivel castors with total brake and 2 fixed castors, Ø 125 mm, rim made of polyamide, tread made of elastic (grey), ball bearing			
Surface	blue galvanized			



FURTH

Our anti-theft nestainer® **Furth** does not only offer you the possibility of space-saving return transport, but also a direct predection against unauthorized access to your goods. The door of the nestable container can be locked (lock not included). The top, the intermediate shelf and the bottom are optionally available in plastic or steel.

Features:

- 5-sided nestainer®
- 2 swivel castors with brakes and 2 fixed castors, Ø 125 mm, tread with elastic (grey), ball bearing
- swivel-mounted & lockable door (lock not included)
- 1 intermediate shelf (only 5.1)
- recyclable plastic bottom
- color: blue galvanized



Available with plastic or steel bottom.

	Furth 5.0 Plastic Bottom	Furth 5.1 Plastic Bottom	Furth 5.0 Steel Bottom	Furth 5.1 Steel Bottom
Article number	N5730815CC0Z446	N5730815CC1Z146	N5730815CC0Z246	N5730815CC1Z046
Composition	5-sided			
Overall dimensions, W x D x H mm Total height with Ø 125 mm castors	728 x 823 x 1880			
Internal dimensions (W x D x H mm)	670 x 773 x 1590		670 x 773 x 1615	
Payload	500 kg			
Weight	69,4 kg	73,9 kg	68,8 kg	73 kg
Mesh	wire infill 50 x 50 mm, Ø 4 mm			
Shelves	optionally available	1 foldable shelf included	optionally available	1 foldable shelf included
Wheels	2 swivel castors with total brake and 2 fixed castors, Ø 125 mm, rim made of polyamide, tread made of elastic (grey), ball bearing			
Surface	blue galvanized			



SIEGEN

The **Siegen** is our larger version of the anti-theft nestainer® and enables an optimal transport of empties. Despite the size, the nestable function saves space. The container is available with the wire infill of 100 x 50 mm or 50 x 50 mm. If the supplied intermediate shelf is not enough for our purpose, you can add more at any time.

Features:

- 5-sided nestainer®
- 2 swivel castors with brakes and 2 fixed castors, Ø 125 mm, tread with elastic (grey), ball bearing
- swivel-mounted & lockable door (lock not included)
- steel intermediate shelf (foldable to the back)
- available in the mesh size 100 x 50 mm & 50 x 50 mm



Easy handling, telescopic.


	Siegen 5.1 Steel Bottom	Siegen 5.1 Steel Bottom (tight mesh)
Article number	N58001200CC1Z053	N58001200CC1Z153
Composition	5-sided	
Overall dimensions, W x D x H mm Total height with Ø 125 mm castors	1200 x 800 x 1820	
Internal dimensions (W x D x H mm)	1145 x 735 x 1545	
Payload	500 kg	
Weight	95 kg	103 kg
Mesh	wire infill 100 x 50 mm, Ø 4 mm	wire infill 50 x 50 mm, Ø 4 mm
Shelves	1 shelf included	
Wheels	2 swivel castors with total brake and 2 fixed castors, Ø 125 mm, rim made of polyamide, tread made of elastic (grey), ball bearing	
Surface	blue galvanized	



KASSEL

Our ball trolley **Kassel** is characterized by a high ease of use. Its two loading doors allow an easy loading and unloading. If the ball trolley is not in use, it can be folded up to save space very comfortable. Quiet running swivel castors make transport additionally easier. The Kassel ball trolley can be expanded with additional accessories, e.g. compartment dividers.

- Features:
- 5-sided ball trolley
 - 4 swivel castors Ø 100 mm, TPR tread
 - foldable roof
 - front wall with foldable opening
 - foldable (in empty state)
 - steel bottom 1040 x 610 mm
 - color: blue galvanized



Further accessories are optionally available.

Items inside the product are not included.

	Kassel 5.0 Steel Bottom
Article number	BW1040C032
Composition	5-sided
Overall dimensions, W x D x H mm Total height with Ø 100 mm castors	1040 x 610 x 1000
Internal dimensions (W x D x H mm)	950 x 585 x 870
Payload	150 kg
Weight	30 kg
Mesh	wire infill 40 x 100 mm
Shelves	not available
Wheels	4 swivel castors Ø 100 mm TPR, ball bearing
Surface	blue galvanized



BOCHUM

Our anti-theft ball trolley **Bochum** stands out by its generous amount of space. The trolley offers plenty of space for the transport and storage of your goods due to the three or four equipped intermediate shelves with an upstand of 40 mm, the large wing doors and an optional basket structure. The tight set of steel mesh of the ball trolley protect your goods. The ball trolley is available with the heights of 1400 and 1700 mm.

Features:

- 5-sided ball trolley (also possible with 3 or 4 sides)
- 2 swivel castors and 2 swivel castors with brakes, Ø 125 mm, elastic (grey), ball bearing
- intermediate shelves with an 40 mm upstand
- swivel-mounted and lockable wing-door (lock not included)
- steel bottom 1500 x 620 mm
- color: blue galvanized



Also as a 3- or 4-sided version possible.

	Bochum M 5.3 Steel Bottom	Bochum M 5.3 (with basket) Steel Bottom	Bochum L 5.4 Steel Bottom	Bochum M 5.3 (with basket) Steel Bottom
Article number	S56201500F03ZC053	S56201500FA3ZC053	S56201500F04ZC153	S56201500FA4ZC153
Composition	5-sided			
Overall dimensions, W x D x H mm Total height with Ø 125 mm castors	1500 x 620 x 1400	1500 x 620 x 1550	1500 x 620 x 1700	1500 x 620 x 1850
Internal dimensions (W x D x H mm)	1440 x 550 x 1190		1440 x 550 x 1490	
Payload	500 kg			
Weight	87,1 kg	92,2 kg	99,6 kg	104,7 kg
Mesh	wire infill 50 x 50 mm, Ø 4 mm			
Shelves	3 shelves included		4 shelves included	
Wheels	2 swivel and 2 swivel castors with total brake Ø 125 mm elastic (grey), ball bearing			
Surface	blue galvanized			





RESIDENT LAUNDRY BAG

- material: 100 % Polyester, net weight of approx. 225 g/m²
- resident laundry bag, stable and safe transportation of laundry
- carrying strap and label tab
- can be used on both sides
- drawstring closure
- holds approx. 6 kg



color	50 x 70 cm
yellow/yellow	WG7500700B0LG1
red/red	WR7500700B0LR2
blue/blue	WB7500700B0LB3
green/green	WG7500700B0LG4



ZIPPED LAUNDRY BAG

- material: 100 % Polyester, net weight of approx. 110 g/m²
- ideal for separate washing
- sturdy but particularly soft
- very gentle on the laundry



color	40 x 60 cm	60 x 90 cm	80 x 130 cm
yellow	WG400600WNRG1	WG600900WNRG1	WG8001300WNRG1
red	WR400600WNR2	WR600900WNR2	WR8001300WNR2
blue	WB400600WNRB3	WB600900WNRB3	WB8001300WNRB3
green	WG400600WNRG4	WG600900WNRG4	WG8001300WNRG4
white	WW400600WNRW0	WW600900WNRW0	WW8001300WNRW0



LAUNDRY CHANGING BAG

- material: 100 % Polyester, net weight of approx. 225 g/m²
- securely and eays transport
- quick-opening longitudinal opening
- toggle closure
- capacity of approx. 12.5 kg



color	55 x 100 cm
white/yellow	WW5501000W0LG1
white/red	WW5501000W0LR2
white/blue	WW5501000W0LB3
white/brown	WW5501000W0LG5
white/green	WW5501000W0LG4
white/gray	WW5501000W0LG6
brown/brown	WB5501000W0LB5
gray/gray	WG5501000W0LG6
yellow/yellow	WG5501000W0LG1
red/red	WR5501000W0LR2
blue/blue	WB5501000W0LB3
green/green	WG5501000W0LG4



LAUNDRY BAG WITH DRAWSTRING FASTENER

- drawstring with a sliding lock
- material: 100 % Polyester, net weight of approx. 110 g/m²
- ideal for separate washing
- sturdy but particularly soft
- very gentle on the laundry



color	40 x 60 cm	60 x 90 cm	80 x 130 cm
yellow	WG400600WNKG1	WG600900WNKG1	WG8001300WNKG1
red	WR400600WNKR2	WR600900WNKR2	WR8001300WNKR2
blue	WB400600WNKB3	WB600900WNKB3	WB8001300WNKB3
green	WG400600WNKG4	WG600900WNKG4	WG8001300WNKG4
white	WW400600WNKW0	WW600900WNKW0	WW8001300WNKW0



LAUNDRY BAGS

Laundry bags are on the inside of the rolltainer® and are used for collecting dirty laundry. They protect the laundry from further dirt and damage and improve the appearance of the filled container.

Fabric:

- 100% polyester
- fabric ca. 220 g/m²
- thermofixed, durable, easy to clean

Design:

- toggle lock
- color: blue / white
- print of logo possible



Upon request: logo imprint in thermal printing process, washable.

For Basic I		
Article number	WSB60072015200L WSW60072015200L	WSB60072017300L WSW60072017300L
Container size*	600 x 720 x 1520	600 x 720 x 1730
Laundry bag size*	555 x 720 x 1370	555 x 720 x 1580

For Premium I			
Article number	WSB60074011500L WSW60074011500L	WSB60074013500L WSW60074013500L	WSB60074015200L WSW60074015200L
Container size*	600 x 740 x 1150	600 x 740 x 1350	600 x 740 x 1520
Laundry bag size*	555 x 735 x 1000	555 x 735 x 1200	555 x 735 x 1370

For Premium II			
Article number	WSB60081013500L WSW60081013500L	WSB60081015200L WSW60081015200L	WSB60081017000L WSW60081017000L
Container size*	600 x 810 x 1350	600 x 810 x 1520	600 x 810 x 1700
Laundry bag size*	555 x 800 x 1200	555 x 800 x 1370	555 x 800 x 1550

For Basic II and Premium III					
Article number	WSB72081011500L WSW72081011500L	WSB72081013500L WSW72081013500L	WSB72081015200L WSW72081015200L	WSB72081017000L WSW72081017000L	WSB72081018000L WSW72081018000L
Container size*	720 x 810 x 1150	720 x 810 x 1350	720 x 810 x 1520	720 x 810 x 1700	720 x 810 x 1800
Laundry bag size*	675 x 800 x 1000	675 x 800 x 1200	675 x 800 x 1370	675 x 800 x 1550	675 x 800 x 1650

*Overall dimensions (W x D x H mm)



COVER HOODS

Cover hoods are used for the transport of clean laundry in laundry containers and are fixed on the outside. They are mainly used for distributing clean laundry and protect them from dirt and damage.

Fabric:

- 100% polyester
- fabric ca. 220 g/m²
- thermofixed, durable, easy to clean

Design:

- toggle lock
- color: blue / white
- print of logo possible



Upon request: logo imprint in thermal printing process, washable.

For Basic I		
Article number	AHB60072015200L AHW60072015200L	AHB60072017300L AHW60072017300L
Container size*	600 x 720 x 1520	600 x 720 x 1730
Laundry bag size*	600 x 720 x 1392	600 x 720 x 1602

For Premium I			
Article number	AHB60074011500L AHW60074011500L	AHB60074013500L AHW60074013500L	AHB60074015200L AHW60074015200L
Container size*	600 x 740 x 1150	600 x 740 x 1350	600 x 740 x 1520
Laundry bag size*	600 x 740 x 1022	600 x 740 x 1222	600 x 740 x 1392

For Premium II			
Article number	AHB60081013500L AHW60081013500L	AHB60081015200L AHW60081015200L	AHB60081017000L AHW60081017000L
Container size*	600 x 810 x 1350	600 x 810 x 1520	600 x 810 x 1700
Laundry bag size*	600 x 810 x 1222	600 x 810 x 1392	600 x 810 x 1572


For Basic II and Premium III					
Article number	AHB72081011500L AHW72081011500L	AHB72081013500L AHW72081013500L	AHB72081013500L AHW72081013500L	AHB72081017000L AHW72081017000L	AHB72081018000L AHW72081018000L
Container size*	720 x 810 x 1150	720 x 810 x 1350	720 x 810 x 1520	720 x 810 x 1700	720 x 810 x 1800
Laundry bag size*	720 x 810 x 1022	720 x 810 x 1222	720 x 810 x 1392	720 x 810 x 1572	720 x 810 x 1672



DOCUMENT FRAMES

- for DIN A4, A5 and A6
- loose, variable plugged or screwed
- surface: blue galvanized

	A4	A5	A6
plugged, vertical	DHGA4B	DHGA5B	DHGA6B
plugged, horizontal	DQGA4B	DQGA5B	DQGA6B
screwed, vertical	DHGSA4B	DHGSA5B	DHGSA6B
screwed, horizontal	DQGSA4B	DQGSA5B	DQGSA6B



CLIP-ON BOARD

- dimension DIN A5
- loose, variably attachable
- writable surface

LABEL PANEL

- dimension 150 x 140 mm
- writable surface

	Clip-On board	Label panel
Article number	AHGBA5B	BB150140B
Dimension	148 x 210 mm (DIN A5)	150 x 140 mm



CLOTHES RAIL (SCREWABLE)

- for laundry container
- loose, variably attachable
- surface: blue galvanized

For laundry container	Basic I Premium I /II	Basic II Premium III	Bremen Bern	Bonn
Article number	WKS600B	WKS720B	WKS850B	WKS940B
Dimension	570 mm	690 mm	825 mm	880 mm
Weight	0,50 kg	0,60 kg	0,68 kg	0,74 kg



BUMPER WHEELS

Wheel rim made of polypropylene with a tread made of thermoplastic elastomer (95° Shore A) in grey.

For laundry container	Basic 3.0 Premium 3.0	Basic 4.0 Premium 4.0
Article number	AWRBP3	AWRBP4
Outer diameter	Ø 50 mm	Ø 50 mm
Inside diameter	Ø 22 mm	Ø 22 mm
Weight	0,03 kg	0,03 kg




SWITCHING SYSTEM

Our preselected switching system is a smart 2-in-1 solution that enables easy handling. You can switch between two swivel castors and two fixed castors on four swivel castors with just one click. The user benefits from easier handling. In addition, you can counteract a transverse gear.




For laundry container	Basic I Premium I /II	Basic II Premium III	Bremen Bern	Bonn
Article number	US450TPE100	US570TPE100	US480TPE100	US400TPE100
Dimension	450 mm	570 mm	480 mm	400 mm



STEEL INTERMEDIATE SHELF ATTACHABLE

- for laundry container Basic and Premium
- loose, variably attachable
- steel grid: blue galvanized

Article number	ZBSL600720B	ZBSL600740B	ZBSL600810B	ZBSL720810B
Dimension (B x T)	611 x 660 mm	606 x 670 mm	606 x 740 mm	726 x 740 mm
Weight	2,1 kg	2,1 kg	2,3 kg	3,9 kg
Payload	150 kg			



STEEL INTERMEDIATE SHELF FOLDABLE

- for laundry container Basic and Premium
- fixed and foldable
- steel grid: blue galvanized

Article number	ZBSK600720BU	ZBSK600740BU	ZBSK600810BU	ZBSK720810BU
Dimension (B x T)	615 x 660 mm	610 x 670 mm	610 x 740 mm	730 x 740 mm
Weight	3,0 kg	3,1 kg	3,4 kg	3,6 kg
Payload	150 kg			




STEEL INTERMEDIATE SHELF

FOLDABLE, NAP STRUCTURE PLATE

- for laundry container Basic and Premium
- fixed and foldable
- with a 5 mm nap structure plate in white
- steel grid: blue galvanized


Article number	ZBSKK600720B	ZBSKK600740B	ZBSKK600810B	ZBSKK720810B
Dimension (B x T)	615 x 660 mm	610 x 670 mm	610 x 740 mm	730 x 740 mm
Weight	3,4 kg	3,4 kg	3,8 kg	4,0 kg
Payload	150 kg			



INTERMEDIATE SHELF FOLDABLE, PHENOLIC RESIN PLATE

- for laundry container Basic and Premium
- fixed and foldable
- with a 4 mm phenolic resin plate
- steel grid: blue galvanized


Article number	ZBSKH600720B	ZBSKH600740B	ZBSKH600810B	ZBSKH720810B
Dimension (B x T)	615 x 660 mm	610 x 670 mm	610 x 670 mm	730 x 740 mm
Weight	4,0 kg	4,0 kg	4,4 kg	4,6 kg
Payload	150 kg			



INTERMEDIATE SHELF WITH PHENOLIC RESIN PLATE

- for laundry container Basic and Premium
- loose, variably attachable
- with a 8 mm phenolic resin plate
- steel grid: blue galvanized

Article number	ZBSH600720B	ZBSH600740B	ZBSH600810B	ZBSH720810B
Dimension (B x T)	615 x 660 mm	610 x 670 mm	610 x 670 mm	730 x 740 mm
Weight	3,2 kg	3,2 kg	3,4 kg	4,1 kg
Payload	150 kg			



WIRE MESH INTERMEDIATE SHELF WITHOUT/ WITH UPSTAND

- for rolltainer® with the bottom size of 460 x 620 mm
- loose, variably attachable
- surface: blue galvanized

Article number	ZD4600RKFC001	ZD460MRKFC001
Dimension (B x T)	460 x 640 mm	460 x 640 x 100 mm
Weight	2,5 kg	2,8 kg
Payload	150 kg	
Upstand	without upstand	with 100 mm upstand



WIRE MESH INTERMEDIATE SHELF WITH UPSTAND

- for rolltainer® with the bottom size of 600 x 600 mm
- loose, variably attachable
- surface: blue galvanized

Article number	ZD600MRKFC001	ZD600MRKFC002
Dimension (B x T)	600 x 600 x 20 mm	600 x 600 x 100 mm
Weight	3 kg	3,4 kg
Payload	150 kg	
Upstand	with 20 mm upstand	with 100 mm upstand



WIRE MESH INTERMEDIATE SHELF WITHOUT UPSTAND

- for laundry and rolltainer® with the bottom size of 1200 x 800 mm
- loose, variably attachable
- surface: blue galvanized

Article number	ZD12000RKFC001
Dimension (B x T)	1200 x 800 mm
Weight	5,8 kg
Payload	150 kg



WIRE MESH INTERMEDIATE SHELF WITH 20 MM UPSTAND

- for laundry and rolltainer® with the bottom size of 1200 x 800 mm
- loose, variably attachable
- surface: blue galvanized

Article number	ZD1200MRKFC001
Dimension (B x T)	1200 x 800 x 20 mm
Weight	5,9 kg
Payload	150 kg



WIRE MESH INTERMEDIATE SHELF WITH 20 MM UPSTAND, ATTACHABLE WITH ANGLE

- for laundry and rolltainer® with the bottom size of 1200 x 800 mm
- loose, attachable in various angle
- surface: blue galvanized

Article number	ZD1200SRKFC001
Dimension (B x T)	1200 x 800 x 20 mm
Weight	6,9 kg
Payload	150 kg



WIRE MESH INTERMEDIATE SHELF WITHOUT UPSTAND

- for rolltainer® with the bottom size of 1350 x 950 mm
- loose, variably attachable
- surface: blue galvanized


Article number	ZD13500RKFC001
Dimension (B x T)	1350 x 950 mm
Weight	15,4 kg
Payload	200 kg



PLASTIC INTERMEDIATE SHELF

- FOR THE SIZE 682 X 815 MM, LOOSE, VARIABLY ATTACHABLE
- different intermediate shelves for 2- and 3-sided rolltainer®
 - reinforced with 3 flat irons
 - color: gentian blue similar to RAL 5010

Article number	E70B02PEF35010	E70B03PEF35010
Dimension (B x T)	620 x 810 mm	620 x 760 mm
Roll container type	2-sided	3-sided
Payload	3 kg	
Upstand	150 kg	



PLASTIC INTERMEDIATE SHELF FOR THE SIZE 714 X 815 MM

- different intermediate shelves for 2-, 3- and 4-sided laundry container
- reinforced with 3 flat irons
- color: gentian blue similar to RAL 5010

Article number	E70A23PEF35010	E70A04PEF35010
Dimension (B x T)	710 x 760 mm	710 x 710 mm
Roll container type	2- & 3-sided	4-sided
Payload	3 kg	
Upstand	150 kg	



WIRE MESH INTERMEDIATE SHELF

- for 2-, 3- and 4-sided roll, laundry and anti-theft container with the bottom size of 724 x 815 mm
- loose, variably attachable
- surface: blue galvanized

Article number	ZBD725ADLC004
Dimension (B x T)	720 x 810 mm
Weight	4,2 kg
Payload	150 kg



WIRE INTERMEDIATE SHELF

- for 2-, 3- and 4-sided roll and anti-theft container with the bottom size of 682 x 815 mm
- loose, variably attachable
- surface: blue galvanized

Article number	ZBD682ADLC008
Dimension (B x T)	680 x 810 mm
Weight	4,2 kg
Payload	150 kg



TEXTILE STRAP WITH ELASTIC RUBBER

- 2 wire hooks
- black/ grey
- for container up to 750 mm width

Article number	E150001BL
Dimension (B x T)	520 x 50 mm
Max. recommended span	750 mm



TEXTILE STRAP WITH ELASTIC RUBBER

- 1 wire hook/ 1 wire loop
- black/ grey
- for container up to 750 mm width

Article number	E150002BL
Dimension (B x T)	560 x 50 mm
Max. recommended span	750 mm



TEXTILE STRAP WITH POLYPROPYLENE

- 1 round wire hook/ 1 clamp lock
- blue, red, yellow, black
- for container up to 800 mm width

Article number	E459945	E459941	E459940	E459943
Color	blue	red	yellow	black
Dimension (B x T)	1050 x 25 mm	1050 x 25 mm	1050 x 25 mm	1050 x 25 mm
Max. recommended span	800 mm	800 mm	800 mm	800 mm



TEXTILE STRAP WITH POLYPROPYLENE WITH ELASTIC

- 1 round wire hook/ 1 clamp lock
- blue, red, yellow, black
- for container up to 800 mm width

Article number	E459965	E459961	E459960	E459966
Color	blue	red	yellow	black
Dimension (B x T)	1050 x 25 mm	1050 x 25 mm	1050 x 25 mm	1050 x 25 mm
Max. recommended span	800 mm	800 mm	800 mm	800 mm



ELASTIC STRAP

- 2 wire hooks
- black
- for container up to 750 mm width

Article number	B454001
Dimension (B x T)	480 x 37 mm
Max. recommended span	750 mm



ELASTIC STRAP

- 1 wire hook/ 1 loop
- black
- for container up to 750 mm width

Article number	B454002
Dimension (B x T)	400 x 37 mm
Max. recommended span	750 mm



ELASTIC STRAP

- 1 metal peg/ 1 metal loop
- grey
- for container up to 800 mm width

Article number	B454501
Dimension (B x T)	485 x 40 mm
Max. recommended span	800 mm



ELASTIC STRAP

- 1 metal peg/ 1 metal loop
- grey
- for container up to 900 mm width

Article number	B456302
Dimension (B x T)	640 x 30 mm
Max. recommended span	900 mm




ELASTIC STRAP

- 1 metal peg/ 1 metal loop
- grey
- for container up to 1100 mm width

Article number	B457503
Dimension (B x T)	780 x 40 mm
Max. recommended span	1100 mm

TECHNICAL GUIDE

Castor definition



- 1 wheel diameter
- 2 total height
- 3 mounting height
- 4 material thickness plate
- 5 material thickness fork
- 6 offset
- 7 dimension of plate
- 8 dimension of plate holes
- 9 diameter of plate holes
- 10 diameter of bolt hole
- 11 width of tread
- 12 width of hub
- 13 wheel bearing
- 14 screw size



THE RIGHT CHOICE of castors:



HOUSING



wheel diameter
in mm



external dimension mounting plate
in mm



mounting dimension
in mm



hole diameter
in mm



offset dimension
in mm



total height
in mm



swivel radius
in mm



dyn. load capacity
in kg

WHEEL.



wheel diameter
in mm



tread width
in mm



hub width
in mm



bushings diameter
in mm



screw size
in mm




dyn. load capacity
in kg

WHEELS BEARINGS

- 

single ball bearing
- 

double ball bearing



SERIE P2D2

rim:

tread:

axle bearing:

threadguard:

load capacity:

wheel diameter:

temperature range:

polypropylene

thermoplastic rubber 65° shore A grey

ball bearing

small plastic threadguard

135 kg to 165 kg

100 mm to 125 mm

-20°C to +60°C



swivel castor

								
	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
SBP26WC100P2D2B32		100	105x80	80/77x60	9	40	125	135
SBP35WC125P2D2B32		125	105x80	80/77x60	9	40	155	165



fixed castor

FBP22WC100P2D2B32		100	105x80	80/77x60	9		125	135
FBP32WC125P2D2B32		125	105x80	80/77x60	9		155	165



swivel castor with total brake

TBP25WC100P2D2B32		100	105x80	80/77x60	9	40	125	127	135
TBP35WC125P2D2B32		125	105x80	80/77x60	9	45	155	127	165



single wheel

							
	[mm]	[mm]	[mm]	[mm]	Ø		[kg]
100P2D2B32		100	35	40	8	M8	135
125P2D2B32		125	40	50	10	M10	165



SERIE POPO

rim: polypropylene
tread: polypropylene
axle bearing: plain bearing / roller bearing
threadguard: without / small metall threadguard
load capacity: 100 kg to 150 kg
wheel diameter: 100 mm to 125 mm
temperature range: -20°C to +60°C



SERIE R4E2

rim: polyamide
tread: elastic 65° shore A grey
axle bearing: ball bearing
threadguard: small plastic threadguard
load capacity: 200 kg to 250 kg
wheel diameter: 100 mm to 125 mm
temperature range: -20°C to +80°C



swivel castor

								
	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
SBP25WC100POPOR1W		100	105x80	80/77x60	9	40	125	100
SBP25WC108POPOR1W		108	105x80	80/77x60	9	40	132	150
SBP35WC125POPOR1W		125	105x80	80/77x60	9	40	155	150



fixed castor

FBP22WC100POPOR1W		100	105x80	80/77x60	9		125	100
FBP22WC108POPOR1W		108	105x80	80/77x60	9		132	150
FBP32WC125POPOR1W		125	105x80	80/77x60	9		155	150



swivel castor with total brake

TBP25WC100POPOR1W		100	105x80	80/77x60	9	40	125	127	100
TBP25WC108POPOR1W		108	105x80	80/77x60	9	40	132	127	150
TBP35WC125POPOR1W		125	105x80	80/77x60	9	45	155	127	150



single wheel

								
	[mm]	[mm]	[mm]	[mm]	ø			[kg]
100POPOR1W		100	36	40	12	M8		100
108POPOR1W		108	36	40	12	M8		150
125POPOR1W		125	38	50	15	M10		150



swivel castor

								
	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
SPP21WC100R4E2B34		100	105x80	80/77x60	9	40	128	200
SPP31WC125R4E2B34		125	105x80	80/77x60	9	40	155	220



fixed castor

FPP22WC100R4E2B34		100	105x80	80/77x60	9		128	200
FPP35WC125R4E2B34		125	105x80	80/77x60	9		155	220



swivel castor with total brake

TPP21WC100R4E2B34		100	105x80	80/77x60	9	40	128	127	200
TPP31WC125R4E2B34		125	105x80	80/77x60	9	45	155	127	220



single wheel

								
	[mm]	[mm]	[mm]	[mm]	ø			[kg]
100R4E2B34		100	35	40	8	M8		200
125R4E2B34		125	38	50	10	M10		250



SERIE N2U6

rim: polyamide
tread: thermoplastic polyurethane 95° shore A red
axle bearing: ball bearing
threadguard: small metal / plastic threadguard
load capacity: 150 kg to 200 kg
wheel diameter: 100 mm to 200 mm
temperature range: -40°C to +80°C



SERIE POPO

rim: polypropylene
tread: polypropylene
axle bearing: ball bearing
threadguard: big metal threadguard
load capacity: 150 kg
wheel diameter: 108 mm
temperature range: -20°C to +60°C



swivel castor

								
	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
SPP21WC100N2U6B32		100	105x80	80/77x60	9	40	128	150
SPP31WC125N2U6B32		125	105x80	80/77x60	9	40	155	200



fixed castor

FPP25WC100N2U6B32		100	105x80	80/77x60	9		128	150
FPP35WC125N2U6B32		125	105x80	80/77x60	9		155	200



swivel castor with total brake

TPP21WC100N2U6B32		100	105x80	80/77x60	9	40	128	127	150
TPP31WC125N2U6B32		125	105x80	80/77x60	9	45	155	127	200



single wheel

								
	[mm]	[mm]	[mm]	[mm]	ø			[kg]
100N2U6B32		100	32	40	8	M8		150
125N2U6B32		125	32	50	10	M10		200



swivel castor

								
	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
SBP25WC108P0P0R2W		108	105x80	80x60	9	40	132	150
fixed castor								
SBP25WC108P0P0R2W		108	105x80	80x60	9	40	132	150



CASTORS FOR THE SWITCHING SYSTEM

Rim: polypropylene/ polyamide
Bearing: single ball bearing
Threadguard: small plastic threadguard
load capacity: 135 kg to 220 kg
wheel diameter: 100 mm to 125 mm
temperature range: -20°C (-40°C) to +80°C



									
		[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
DIRSPP21WC100P2D2B32	Thermoplastic rubber 65° Shore A	100	105x80	80/77x60	9	40	128	127	135
DIRSPP31WC125P2D2B32	Thermoplastic rubber 65° Shore A	125	105x80	80/77x60	9	40	155	127	165
DIRSPP21WC100R4E2B34	Elastic grey 65° Shore A	100	105x80	80/77x60	9	40	128	127	200
DIRSPP31WC125R4E2B34	Elastic grey 65° Shore A	125	105x80	80/77x60	9	40	155	127	220
DIRSPP21WC100N2U6B32	Thermoplastic polyurethane 95° Shore A	100	105x80	80/77x60	9	40	128	127	150
DIRSPP31WC125N2U6B32	Thermoplastic polyurethane 95° Shore A	125	105x80	80/77x60	9	40	155	127	200



Seewald
Transportgeräte

**WE ARE HAPPY
TO ADVISE YOU**

CONTACT US:

+49 8861 9309248

SEEWALD TRANSPORTGERÄTE GMBH

August-Moralt-Str. 1-3 | 86971 Peiting | Germany

www.seewald-transportgeraete.de
info@seewald-transportgeraete.de

